SAFETY DATA SHEET



Revision date 17-Jul-2023 **Revision Number** 1

1. Identification

Product identifier

Captan 80 WDG **Product Name**

Other means of identification

Product Code(s) 42750-231

UN number or ID number UN 3077

Synonyms None

42750-231 Registration Number(s)

Recommended use of the chemical and restrictions on use

Fungicide Recommended use

Restrictions on use Follow label instructions

Details of the supplier of the safety data sheet

Company Address

ALBAUGH LLC 1525 NE 36th St, Ankeny, IA 50021 USA

Emergency telephone number

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident:

• Call CHEMTREC Day or Night within USA and Canada: 1-800-424-9300, Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

For Medical Emergencies Only:

• Call Albaugh LLC Day or Night within USA and Canada: 1-888-347-6732

This product is an EPA FIFRA registered pesticide. Some classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by US EPA for a registered pesticide. Please see Section 15. REGULATORY INFORMATION for explanation.

2. Hazard(s) identification

Classification

Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 2

Page

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

Harmful in contact with skin

Toxic if inhaled

Causes serious eye damage

May cause an allergic skin reaction

Suspected of causing cancer



Appearance granules

Physical state Solid

Odor Pungent

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/clothing and eye/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a doctor

IF ON SKIN: Wash with plenty of water and soap

Call a doctor if you feel unwell

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a doctor

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

15.43 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

15.43 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Other information

Toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%	Active Ingredient
•			

Captan	133-06-2	77.6-82.4	Х
Sodium Lauryl Sulfate	151-21-3	6.7-7.4	
Kaolin Clay	1332-58-7	2.3-2.5	
Amorphous silicon dioxide	112926-00-8	0.9-1.1	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. If breathing has

> stopped, give artificial respiration. Get medical attention immediately. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen.

Eve contact Get immediate medical attention. Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an Skin contact

allergic skin reaction. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a physician or poison control center immediately.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective

equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in

breathing.

Indication of any immediate medical attention and special treatment needed

May cause sensitization in susceptible persons. Treat symptomatically. Note to physicians

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

CAUTION: Use of water spray when fighting fire may be inefficient. Large Fire

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the Product is or contains a sensitizer. May cause sensitization by skin contact.

chemical

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge

None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal Personal precautions

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak. Avoid generation of dust. Do not breathe dust.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Pick up and transfer to properly labeled containers. Methods for cleaning up

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eves or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse. Do not breathe dust. Avoid generation of dust. Handle product only

in closed system or provide appropriate exhaust ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

8. Exposure controls/personal protection

Control parameters

The following ingredients are the only ingredients of the product above the cut-off level (or **Exposure Limits**

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other

recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Captan 133-06-2	dermal sensitizer TWA: 5 mg/m³ inhalable particulate matter	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m³
Kaolin Clay 1332-58-7	TWA: 2 mg/m³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 10 mg/m³ total dust (vacated) TWA: 5 mg/m³	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust

		respirable fraction	
Amorphous silicon dioxide 112926-00-8	-	(vacated) TWA: 6 mg/m ³ TWA: 20 mppcf : (80)/(% SiO2) mg/m ³ TWA	-

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Showers Engineering controls

> Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Tight sealing safety goggles. Eye/face protection

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do General hygiene considerations

not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Do not breathe dust. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid **Appearance** granules Color light brown Odor Pungent

No information available **Odor threshold**

Values Remarks • Method **Property**

5.0 - 6.0 рH

pH (as aqueous solution)

Melting point / freezing point No data available Initial boiling point and boiling rangeNo data available Flash point No data available **Evaporation rate** No data available **Flammability** No data available

Flammability Limit in Air

No data available Upper flammability or explosive

limits

No data available Lower flammability or explosive

limits

No data available Vapor pressure Relative vapor density No data available Relative density No data available Water solubility No data available Solubility(ies) No data available Partition coefficient No data available

Revision date 17-Jul-2023

Autoignition temperature

Decomposition temperature

No data available

Kinematic viscosity

No data available Dynamic viscosity No data available

Other information

No information available **Explosive properties** No information available Oxidizing properties No information available Softening point Molecular weight No information available **VOC** content No information available

Liquid Density 0.54-0.58

Bulk density No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Excessive heat.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Toxic by inhalation. (based

on components).

Specific test data for the substance or mixture is not available. Causes serious eye damage. Eve contact

May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation. May

cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May be absorbed through the

skin in harmful amounts. Harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Itching. Rashes. Hives. Coughing and/ or

wheezing. Difficulty in breathing.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

14,313.70 mg/kg ATEmix (oral) 1,643.50 mg/kg ATEmix (dermal)

^{*}Listed density is an approximate value and does not necessarily represent that of a specific batch

ATEmix (inhalation-dust/mist) 0.507 mg/l

Unknown acute toxicity

15.43 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

15.43 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Captan 133-06-2	= 3573 mg/kg (Rat) = 9 g/kg (Rat)	> 5000 mg/kg (Rat) > 5 g/kg (Rat)	= 0.72 mg/L (Rat) 4 h	
.00 00 2	o grilg (Tial)	y o grig (riai)		
Sodium Lauryl Sulfate 151-21-3	= 1288 mg/kg (Rat)	= 200 mg/kg(Rabbit)	> 3900 mg/m³(Rat)1 h	
Kaolin Clay	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-	
1332-58-7				

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Captan	A3	Group 3	-	-
133-06-2		·		
Amorphous silicon dioxide	-	Group 3	-	-
112926-00-8				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target organ effects Liver, Kidney, Respiratory system, Eyes, Skin, Gastrointestinal tract (GI).

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	

Captan	-	LC50: 0.119 - 0.167mg/L	-	EC50: 7 - 9.9mg/L (48h,
133-06-2		(96h, Lepomis		Daphnia magna)
		macrochirus)		
		LC50: 0.0666 -		
		0.0804mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 0.168 - 0.238mg/L		
		(96h, Pimephales		
		promelas)		
		LC50: 0.059 - 0.070mg/L		
		(96h, Pimephales		
		promelas)		
		LC50: =0.3mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =0.075mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: >126mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 0.047 - 0.111mg/L		
		(96h, Lepomis		
		macrochirus)		
		LC50: =0.16mg/L (96h,		
		Lepomis macrochirus)		
Sodium Lauryl Sulfate	EC50: =53mg/L (72h,	LC50: 15 - 18.9mg/L (96h,	-	EC50: =1.8mg/L (48h,
151-21-3	Desmodesmus	Pimephales promelas)		Daphnia magna)
	subspicatus)	LC50: 8 - 12.5mg/L (96h,		
	EC50: 30 - 100mg/L (96h,	Pimephales promelas)		
	Desmodesmus	LC50: 22.1 - 22.8mg/L		
	subspicatus)	(96h, Pimephales		
	EC50: =117mg/L (96h,	promelas)		
		LC50: 4.3 - 8.5mg/L (96h,		
	subcapitata)	Oncorhynchus mykiss)		
	EC50: 3.59 - 15.6mg/L	LC50: =4.62mg/L (96h,		
	(96h, Pseudokirchneriella	Oncorhynchus mykiss)		
	subcapitata)	LC50: =4.2mg/L (96h,		
	Subcapitata)	Oncorhynchus mykiss)		
		LC50: 10.2 - 22.5mg/L		
		(96h, Pimephales		
		promelas)		
		LC50: 6.2 - 9.6mg/L (96h,		
		Pimephales promelas)		
		LC50: 13.5 - 18.3mg/L		
		(96h, Poecilia reticulata)		
		LC50: 10.8 - 16.6mg/L		
		(96h, Poecilia reticulata)		
		LC50: =1.31mg/L (96h,		
		Cyprinus carpio)		
		LC50: =7.97mg/L (96h,		
		Brachydanio rerio)		
		LC50: 9.9 - 20.1mg/L		
		(96h, Brachydanio rerio)		
		LC50: 4.06 - 5.75mg/L		
		(96h, Lepomis		
		macrochirus)		
		LC50: 4.2 - 4.8mg/L (96h,		
		Lepomis macrochirus)		
		LC50: =4.5mg/L (96h,		
		Lepomis macrochirus)		
		LC50: 5.8 - 7.5mg/L (96h,		
1	1	Pimephales promelas)	1	l

Persistence and degradability N

No information available.

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Sodium Lauryl Sulfate	1.6
151-21-3	

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

TDG Not regulated

DOT Regulated

Notes UN 3077, Environmentally Hazardous Substance, Solid, N.O.S., 9, PG III, RQ (captan)

UN number or ID number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es) 9
Packing group III
Reportable quantity - lbs 10

IATA Not regulated

ICAO (air) Not regulated

IMDG Not regulated

15. Regulatory information

U.S. EPA Label Information

EPA Pesticide Registration Number 42750-231

EPA Pesticide Label DANGER. Causes irreversible eye damage. Harmful if swallowed or inhaled. Prolonged or

frequently repeated skin contact may cause allergic reactions in some individuals.

International Inventories

Does not comply **TSCA** DSL/NDSL Does not comply **EINECS/ELINCS** Does not comply Does not comply **ENCS IECSC** Does not comply **KECL** Does not comply **PICCS** Does not comply **AIIC** Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

42750-231 - Captan 80 WDG

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Captan - 133-06-2	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous
	Quantities			Substances
Captan	10 lb	-	-	X
133-06-2				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Captan	10 lb	-
133-06-2		

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Captan - 133-06-2	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Captan	X	X	X
133-06-2			
Kaolin Clay	X	X	X
1332-58-7			
Amorphous silicon dioxide	X	X	X
112926-00-8			

16. Other information

NFPA Health hazards 3 Flammability 0 Instability 0 Special hazards - HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X Chronic Hazard Star Legend *= Chronic Health Hazard*

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 17-Jul-2023

Revision NoteNo information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DISCLAIMER: The information presented herein is based on available data from reliable sources and is correct to the best of Albaugh's knowledge. Albaugh makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

End of Safety Data Sheet