SELECTIVE HERBICIDE ETHOPSTEMERGENCE CONTROL OF POA ANNUA.

Ethofumesate 4SC Select[™] is a preemergence and postemergence herbicide for the control of many annual grasses and broadleaf weeds. It is especially effective for control of Poa annua (Annual bluegrass) on golf turf or lawns. **Ethofumesate 4SC Select**[™] can be used on labeled cool-season grasses and overseeded bermudagrass.

PRODUCT FEATURES

- Provides pre- and postemergence control.
- Broad-spectrum control of many annual grass and broadleaf weeds.
- Effective on Poa annua (Annual bluegrass), barnyardgrass, crabgrass, foxtail, and other weeds.
- High AI concentration with lower use rates.
- For Poa annua control, use during both cool-season germination and warmer growth periods.

LABELED USES

- Golf courses
- Parks
- Sod farms
- Cemeteries
- Residential or commercial lawns

WEEDS CONTROLLED

- Annual bluegrass Poa annua Canarygrass Phalaris canariensis Common velvetgrass Holcus lanatus Downy brome Bromus tectorum Green foxtail Setaria viridis Large crabgrass Digitaria sanguinalis Mannagrass Glyceria sp.
- Rattail fescue *Festuca myuros* Soft chess *Bromus mollis* Volunteer barley *Hordeum* sp. Volunteer wheat *Triticum* sp. Wild oats *Avena fatua* Yellow foxtail *Setaria glauca*

See label for complete application guidelines and restrictions.



ACTIVE INGREDIENT

42.0% ethofumesate

HRAC GROUP

FORMULATION

Suspension concentrate

CHEMICAL FAMILY Benzofuran

COMPARE TO

Poa Constrictor® Prograss®

MODE OF ACTION Inhibits the growth of meristems, slows cellular division, and limits formation of waxy cuticle.

RESTRICTED USE

SIGNAL WORD Caution

PACKAGING 4 x 0.5 gal

EPA REG NUMBER 45002-37-89442



1525 NE 36th Street | Ankeny, Iowa 50021 | albaughspecialty.com

ETHOFUMESATE 4SC SELECT^{**}

PRE- AND POSTEMERGENCE CONTROL OF POA ANNUA.

APPLICATION TIMING AND USE RATES

Turf Type	Primary Targets	Application Timing	Use Rate ¹		# of Apps⁵	Application	Overseeding Safety Interval ³	Application Safety Interval ⁴
			Pints/Acre	0z/1,000 Sq. Ft.	Per Year	Interval (Days)	(Weeks After Treatment)	(Weeks After Emergence)
Creeping Bentgrass	Annual Bluegrass	Fall	1.59 (0.75 lb a.i./A)	0.58	0-2	21-28	- 4	4
		Spring ²	1.59 (0.75 lb a.i./A)	0.58	0-2	21-28		
Kentucky Bluegrass	Annual Bluegrass	Fall	1.59 (0.75 lb a.i./A)	0.58	2	21-28	6	8
Ryegrass	Annual Bluegrass	Fall	2.12 - 3.18 (1.00 - 1. 50 Ib a.i./A)	0.78 - 1.17	0-1	N/A	- 1-2	1-2
		Spring			0-1	N/A		
St. Augustinegrass (Established turf)	Bermudagrass suppression	Spring	1.59 (0.75 lb a.i./A)	0.58	2	21-28	N/A	N/A
Turf-Type tall fescue	Annual Bluegrass	Fall	1.59–3.18 (0.75 – 1.50 Ib a.i./A)	0.78 - 1.17	1-2	21-28	0	2-3
Overseeded (ryegrass) Bermudagrass: Dormant Bermudagrass	Annual Bluegrass	Fall	1.59–3.18 (0.75 – 1.50 Ib a.i./A)	0.58 - 1.17	1-2	21-28	N/A	N/A
Nondormant Bermudagrass	Annual Bluegrass	Fall	2.12 - 2.39 (1.00 – 1.13 Ib a.i./A)	0.78 - 0.88	1	N/A	N/A	N/A

N/A= Not applicable.

¹ Apply ETHOFUMESATE 4 SC SELECT in 20 to 60 gallons of water per acre or 1 to 3 gallons of water per 1,000 sq. ft.

² Only make spring applications after previous fall treatments.

³ After the last treatment of ETHOFUMESATE 4 SC SELECT, the interval provided applies to overseeding of the specific grass on same type of grass to which

ETHOFUMESATE 4 SC SELECT was applied.

⁴ ETHOFUMESATE 4 SC SELECT may be applied to specific grass following seed emergence after the specified time interval.

⁵ DO NOT exceed the maximum single application rate or yearly maximum application rate of 3.18 pints (1.50 lb a.i./A) per acre (i.e. a split application of

1.59 pints (0.75 lb a.i./A) per acre once in the spring and once in the fall OR a single application of 3.18 pints (1.50 lb a.i./A) per acre in either the spring or the fall).



See label for complete application guidelines and restrictions.

©2023 Albaugh, LLC. All rights reserved. Albaugh and the A logo are registered trademarks and Ethofumesate 4SC Select is a trademark of Albaugh, LLC. Poa Constrictor is a registered trademark of UPL. Prograss is a registered trademark of Bayer. Always read and follow label restrictions, precautions, and directions for use. This/Some product(s) may not be registered for sale or use in all states or counties. Please check with your state agency responsible for pesticide registration to ensure registration status.

