

ACE™ 3.8L ST

TREATED SEED

This seed has been treated with:

Ipconazole fungicide (ACE 3.8L ST, EPA Reg. 45002-40)

lb AI/100 lb Seed	mg AI per seed	Active Ingredient
_____	_____	Ipconazole
OR		
_____	_____	

CAUTION

DO NOT USE FOR FEED, FOOD, OR OIL PURPOSE.
DO NOT allow children, pets, or livestock to have access to treated seed.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Persons opening this bag or loading/pouring the treated seed must wear a long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves.

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. **DO NOT** induce vomiting unless told to do so by the poison control center or doctor. **DO NOT** give any liquid to the person. **DO NOT** give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center (888-347-6732) or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

Treated seed exposed on soil surface is hazardous to wildlife. Cover or collect treated seeds spilled during loading and planting.

DO NOT apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. This fungicide may persist in soil and long-term use in the same field may result in an accumulation of active ingredient.

DO NOT contaminate water bodies when disposing of planting equipment wash water or rinsate.

Dispose of all excess treated seed by burying seed away from bodies of water.

RESTRICTIONS

Treated seed must be incorporated into the soil at the recommended depth.

DO NOT graze or feed livestock on treated areas or hay grown from treated peanut seed.

After the seeds have been planted, **DO NOT** enter or allow

worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: Once seeds are planted and covered by soil or other planting media, the Worker Protection Standard (WPS) allows workers to enter the treated area without restriction.

SEED STORAGE & DISPOSAL

Store treated seed away from feeds and foodstuffs. Dispose of excess treated seed by burying seed away from bodies of water.

DO NOT store leftover treated seed where there is a chance of it becoming mixed with untreated seed.

Dispose of seed packaging in accordance with local requirements.

Excess treated seed may be used for ethanol production only if: (1) By-products are not used for livestock feed, and (2) No measurable residues of pesticides remain in ethanol by-products that are used for agronomic practice.

DO NOT use empty seed bags for any other purpose.

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE
Call CHEMTREC (800) 424-9300.

Albaugh, LLC
Ankeny, IA 50021

021423