

FLUDIOXONIL 4L ST TREATED SEED

*This seed has been treated with:
Fludioxonil fungicide (EPA Reg. No. 42750-248)*

lb AI/100 lb Seed	mg AI per seed	Active Ingredient
_____	_____	Fludioxonil
OR		
_____	_____	

CAUTION

DO NOT USE FOR FEED, FOOD, OR OIL PURPOSE.

DO NOT allow children, pets, or livestock to have access to treated seed.

User is responsible for ensuring that the seed bag meets all requirements under the Federal Seed Act.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Wear long pants, long-sleeved shirt and protective gloves when handling the treated seed.

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. **DO NOT** induce vomiting unless told to do so by the poison control center or doctor. **DO NOT** give any liquid to the person. **DO NOT** give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center (888-347-6732) or doctor or going for treatment.

ENVIRONMENTAL HAZARDS

Treated seeds exposed on soil surface may be hazardous to wildlife. Cover or collect treated seeds spilled during loading and planting. Dispose of all excess treated seed by burying seed away from bodies of water.

This pesticide is toxic to fish and aquatic invertebrates. **DO NOT** apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. **DO NOT** contaminate bodies of water when disposing of planting equipment wash water or rinsate.

This product has properties and characteristics associated with chemicals detected in groundwater. These chemicals may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

RESTRICTIONS

Treated seed must be planted into the soil at a depth greater than 1 inch.

Forage may **NOT** be grazed until 30 days after planting.

All seed must be dyed with a suitable colorant to prevent its accidental use as food for man or feed for animals. Refer to 21 CFR part 2.25. Any colorant added to treated seed must be cleared for use under 40 CFR part 153.155.

SEED STORAGE & DISPOSAL

Store treated seed away from food and feedstuffs.

DO NOT store leftover treated seed where there is a chance of it becoming mixed with untreated seed.

Dispose of seed packaging or container in accordance with local requirements.

Excess treated seed may be used for ethanol production only if: (1) By-products are not used for livestock feed, and (2) No measurable residues of pesticides remain in ethanol by-products that are used for agronomic practice.

DO NOT use empty seed bags for any other purpose.

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE

Call CHEMTREC (800) 424-9300.

Albaugh, LLC. Ankeny, IA 50021

021723