

TebuStar IM Extra ST

TREATED SEED

*This seed has been treated with:
Metalaxyl fungicide, Tebuconazole fungicide,
and Imidacloprid insecticide (EPA Reg. 42750-345)*

lb AI/100 lb Seed		mg AI per seed	Active Ingredient
_____		_____	Metalaxyl
_____	OR	_____	Tebuconazole
_____		_____	Imidacloprid

CAUTION

DO NOT USE FOR FEED, FOOD, OR OIL PURPOSE.

DO NOT allow children, pets, or livestock to have access to treated seed.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Wear long pants, long-sleeved shirt, and chemical resistant gloves when handling treated seed.

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. **DO NOT** induce vomiting unless told to do so by the poison control center or doctor. **DO NOT** give any liquid to the person. **DO NOT** give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center (888-347-6732) or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

This product is highly toxic to birds, fish and aquatic invertebrates. **DO NOT** apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. **DO NOT** contaminate water when disposing of planting equipment wash water or rinsate.

Exposed treated seeds may be hazardous to birds. Cover or incorporate spilled treated seeds. Excess or leftover seed may be double-sown around the headland or buried away from bodies of water in accordance with local requirements.

Pollinator Precautions: Imidacloprid is highly toxic to bees. Ensure that planting equipment is functioning properly in accordance with manufacturer specifications to minimize seed coat abrasion during planting to reduce dust which can drift to blooming crops or weeds.

Groundwater Advisory: Metalaxyl is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this chemical where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

RESTRICTIONS

Treated seed must be planted into the soil at a depth greater than 1 inch.

DO NOT graze or feed livestock on treated areas for 45 days after planting.

In the event of a crop failure or harvest of a crop grown from TebuStar IM Extra ST treated seed, the field may be replanted immediately to artichoke, barley, borage, Brassica (cole) leafy vegetables, bulb vegetables, canola, cilantro, corn (field or sweet), cotton, cranberry, crambe, cucurbits, eggplant, flax, groundcherry, leafy petiole vegetables, leafy vegetables, legume vegetables (succulent or dried including soybean), millet, mustard seed, oats, okra, pepinos, pepper, popcorn, potato, rapeseed, rye, safflower, sorghum, soybean, strawberry, sugarbeets, sunflower, tomatillo, tomato, triticale, root and tuber vegetables, watercress, and wheat.

For cereals including buckwheat, and rice; the minimum plant-back interval is 30 days from the date TebuStar IM Extra ST treated seed was planted. Cover crops for soil building or erosion control may be planted at any time; but do not graze or harvest for food or feed. For all other crops not listed on an imidacloprid label, or for crops for which no imidacloprid, tolerance for the active ingredient has been established, a 12-month plant-back interval must be observed.

The maximum application rate (including seed treatment, foliar application, and soil application) per acre per year for imidacloprid is 0.5 lbs.

SEED STORAGE & DISPOSAL

Store treated seed away from food and feedstuffs.

DO NOT store leftover treated seed where there is a chance of it becoming mixed with untreated seed.

Dispose of seed packaging in accordance with local requirements.

Excess treated seed may be used for ethanol production only if: (1) By-products are not used for livestock feed, and (2) No measurable residues of pesticides remain in ethanol by-products that are used for agronomic practice.

DO NOT use empty seed bags for any other purpose.

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE

Call CHEMTREC (800) 424-9300.

Albaugh, LLC. Ankeny, IA 50021

041823