

NEVER GIVE DRINK OR INDUCE VOMITING TO A PERSON WHICH IS NOT CONSIIOUS

ANTIDOTE AND MEDICAL TREATMENT:

There is no specific antidote, treat the patient symptomatically.

**NATIONAL CENTERS OF INTOXICATIONS
INSTITUTE**

	COUNTRY	TELEPHONE
KARL HEUSNER MEMORIAL HOSPITAL DR. HURRISA HAILU	BELICE	231-548 Y 231-639 622-460

**MEASURES TO PROTECT THE ENVIRONMENT
TOXIC TO FISH AND CRUSTACEAE**



**DO NOT CONTAMINATE RIVERS, LAKES, PONDS OR GROUND WATER
WITH THIS PRODUCT OR WITH CONTAINERS AND BOTTLES**

MANAGEMENT OF BOTTLES, PACKING, RESIDUES AND REMANENTS

In case of liquid spillage or residues of pesticides absorb with sand, wood chips or any absorbent material, for solids remove as much as possible, sealing the residues in a hermetic container and take to the distributor or eliminate them in a land fill authorized by the Ministry of Health.

Use the entire content of the bottles and when empty wash and triple rinse with clean water, adding the solution to the spray tank, destroy or puncture the empty containers. If the country has an official program for collection and empty container disposal, take these to the closest collecting center or dispose according with the instructions of the distributor of the product.

**EMPTY CONTAINERS NEED TO BE WASHED THREE TIMES; WATER RESULTING
FROM THE TRIPLE RINSE MUST BE ADDED TO THE SPRAYING TANK.**

**USING THE EMPTY PACKING AND CONTAINERS FOR DIFFERENT USE AS INTENDED,
REPRESENTS A RISK TO HUMANS AND THE ENVIRONMENT.**

GUARANTEE NOTE

"The manufacturer and registration owner guarantees the quality of the product in its original and sealed hermetic container. It also guarantees the efficacy of the product, if it is used as indicated in the pamphlet. Since the storage and handling is out of our control it is impossible to assume the responsibility of damage resulting from such factors. We also guarantee the chemical composition of the product as indicated in the label, when the bottle is originally sealed.

MANUFACTURER

JIANGSU ROTAM CHEMISTRY CO. LTD., CHINA
PHONE: 0512 - 5771 - 1988 FAX: 0512 - 5771 - 8697

**IMPORTER:
DISTRIBUTOR:**

COUNTRY

REGISTRATION NUMBER

DATE OF REGISTRATION

BELICE

0309-3

19-10-2011

**¡STOP! READ THE PAMPHLET BEFORE USING THE PRODUCT AND CONSULT A PROFESSIONAL
IN AGRICULTURAL SCIENCES**



PLOT® 60WG

HERBICIDE SULFONILUREA
Metsulfuron methyl

PRECAUTION

ANTIDOTE: NO SPECIFIC ANTIDOTE

**THIS PRODUCT MAY BE FATAL IF SWALLOWED
AND/OR INHALED, IT MAY CAUSE DAMAGE TO EYES
AND SKIN BY EXPOSURE**

**DO NOT STORE IN HOMES
MANTAIN AWAY FROM CHILDREN, MENTALLY ILL PEOPLE,
DOMESTIC ANIMALS, FOOD AND MEDICINE**



AGRONOMIC USES:

MODE OF ACTION:

PLOT® is a herbicide of the sulfonil urea family, a selective and systemic herbicide which inhibits the cell division by blocking the enzyme called acetillactate synthetase (ALS which acts in the synthesis of three essential amino acids: valine, leucine and isoleucine. It can be used in corn and it is applied in early post emergence, for the control of broadleaf weeds.

APPLICATION EQUIPMENT:

PLOT® 60 WG can be applied with standard ground or aerial spraying equipment, using flat cone spray tips, indicated for the application of herbicides, producing fine drops and a good coverage. Personnel manipulating this product should use complete personal protection equipment: overalls, rubber boots, face mask, gloves. Before loading the equipment, make sure it is in good working conditions, without leaks, and well calibrated. This product does not affect the spraying equipments.

**PREPARING THE TANK MIX:**

It is recommended to prepare a premix, mixing water with the required amount of product in a bucket. Then fill the spray tank to ½ the volume of the required clean water and start stirring. Add the premix of the product and complete the total volume with water. Add non ionic surfactant at the end in a proportion of 0, 25% to the total volume of water. Use complete personal protection equipment to prepare the spray mix. La used equipments need to be washed carefully after preparing and applying the product.

**RECOMMENDATIONS FOR THE USE IN BELICE****Some weeds controlled by Metsulfuron methyl:**

Batatillo (*Ipomoea spp*), Frijolillo (*Sesbania spp*), Chilinchil (*Cascia tora*), atarraya (*Portulaca oleracea*), Comelina (*Commelina difusa*), palo de agua (*Ammania coccinea*), pega pega (*Desmodiumtortuosum*), yerbamora (*Solanum nigrum*), pajarito (*Gallinsoga silliata*), pringamosa (*Urtica urens*), Escoba (*Sida spp*), Dormidera (*Mimosa spp*), Ceniso (*Chenopodium album*), Acacio (*Heteranthera limosa, Heteranthera linifolia*), Palo de Agua (*Jussia linifolia*), Piñita (*Murdania nudiflora*), Botoncillo (*Eclipta alba*).

RECOMMENDATIONS AND RATES

CROPS	RATE g/Ha	Form of application (Always use a non-ionic surfactant at rate of 0.25%)
Rice (<i>Oryza sativa</i>)	15	Apply when the rice has 3-4 leaves and 25 days after germination. Weeds can have 10 to 15 cm high and up to 7 leaves. Do not apply after this period.
Coffee (<i>Coffea Arabica</i>)	5 -10	Apply in mix with glyphosate. Weeds have to be between 15-30 cm. It is recommended using a volume of application between 200-400 l/ha. Use always no ionic surfactant.
Sugar cane (<i>Saccharum officinarum</i>)	15 – 20	Apply when the weeds have germinated, to control broad leaf mixed with Derby® 75 WG.
Pastures	1.5 -3.0 g/ 20 L of water	Apply in post emergence in mixture with 2,4 D, for brush control.

RE ENTRY INTERVAL:

Period for re entry after the application: 24 hours after application, use complete personal protection.

COMPATIBILITY AND PHYTOTOXICITY

Used in accordance with the recommendations of the manufacturer, **PLOT® 60 WG** is compatible and does not cause phytotoxicity to the crops for which it is recommended. It can be applied in mixture with other common agrochemicals; however in the event a mixture is prepared for the first time we recommend doing a small scale test.

PRECAUTIONS AND INSTRUCTIONS OF USE:**STORAGE AND TRANSPORT:**

- PLOT® 60 WG** should not be transported or stored together with food products, forages or medicines, for human and animal use. .
- Store under lock in a dry, fresh and ventilated place.
- Wash with abundant water and soap after manipulating the product, especially before having food, drink or smoke.
- Personnel manipulating **PLOT® 60 WG** should use goggles, gloves and face mask. 5. Maintain away from heat and in its original, well sealed container, and appropriately labeled.

**DO NOT STORE IN HOMES
MANTAIN AWAY FROM CHILDREN, MENTALLY ILL PERSONS
DOMESTIC ANIMALS, FOOD AND MEDICINE**

**DO NOT EAT, SMOKE OR DRINK DURING THE HANDLING AND APPLICATION
OF THIS PRODUCT, TAKE A SHOWER AFTER WORK AND PUT ON
CLEAN CLOTHES**

**SYMPTOMS OF INTOXICATION:**

It may cause irritation to skin, eyes and mucosa.

FIRST AID

INGESTION: Do not induce vomiting because pulmonary aspiration might occur. Immediately call a doctor or the National Center for intoxications.

INHALATION: Move the affected person to a place with fresh air and maintain at rest until recovered.

CONTACT WITH EYES: Open the eye lids and wash with abundant clean water for 15 minutes, consult with a doctor.

CONTACT WITH SKIN: If there is contact with skin, clean with abundant water and soap, remove all contaminated clothing and clean skin with water and soap.