

BZ-SALUZI 35SC-LEAFLET ENGLISH-20180807

SIZE: 180(W)X150(H)MM

PBZS04M010180807

Use the entire content of the bottles and when empty wash and triple rinse with clean water, adding the solution to the spray tank, destroy or puncture the empty containers. If the country has an official program for collection and empty container disposal, take these to the closest collecting center or dispose according with the instructions of the distributor of the product.

EMPTY CONTAINERS NEED TO BE WASHED THREE TIMES; WATER RESULTING FROM THE TRIPLE RINSE MUST BE ADDED TO THE SPRAYING TANK.

USING THE EMPTY PACKING AND CONTAINERS FOR DIFFERENT USE AS INTENDED, REPRESENTS A RISK TO HUMANS AND THE ENVIRONMENT.

GUARANTEE NOTE

The manufacturer and registration owner guarantees the quality of the product in its original and sealed hermetic container. It also guarantees the efficacy of the product, if it is used as indicated in the pamphlet. Since the storage and handling is out of our control it is impossible to assume the responsibility of damage resulting from such factors. We also guarantee the chemical composition of the product as indicated in the label, when the bottle is originally sealed.

FORMULATED BY:

JIANGSU ROTAM CHEMISTRY, CO., LTD. CHINA.
N° 88 Rotam Road, ETDZ, Kunshan 215301, Jiangsu.
TEL: 0512 – 5771 – 1988 FAX: 0512 – 5771 – 8697

IMPORTER and DISTRIBUTOR:

PROSSER FERTILIZER AND AGROTEC CO. LTD
Mile 7.5, George Price Hwy, Belize.

COUNTRY
BELIZE

REGISTRATION NUMBER
0247-12

REGISTRATION DATE
23-03-2018

¡STOP! READ THE PAMPHLET BEFORE USING THE PRODUCT AND CONSULT A PROFESSIONAL IN AGRICULTURAL SCIENCES

SALUZI® 35 SC

**INSECTICIDE- NEONICOTINOIDE
IMIDACLOPRID**

CAUTION

**ANTIDOTE: NO KNOWN ANTIDOTE
DENSITY: 1.18 g/ml at 20 °C**

**THIS PRODUCT MAY BE FATAL IF SWALLOWED
AND/OR INHALED, IT MAY CAUSE DAMAGE TO EYES
AND SKIN BY EXPOSURE**

**DO NOT STORE IN HOMES
MAINTAIN AWAY FROM CHILDREN, MENTALLY ILL PEOPLE,
DOMESTIC ANIMALS, FOOD AND MEDICINE**



AGRONOMIC USES:

MODE OF ACTION:

SALUZI® 35 SC is a systemic insecticide, which also acts by contact and ingestion. In the plant it is an insecticide with strong systemic action, presenting acropetal movement. In the insect it stimulates the liberation of GABA (Gama amino butyric acid) inhibiting the neuro muscular transmission. Susceptible insects are paralyzed and die.

APPLICATION EQUIPMENT: **SALUZI® 35 SC** can be

applied using manual or motorized pump back or tractor, or plane. Use nozzles that produce medium or large size drops, which are less susceptible to drift. Ensure application equipment is in good condition. Calibrate using water before starting treatment. The manufacturer recommends that the equipment used in applying **SALUZI® 35 SC** should be given maintenance. This product does not require additional maintenance guidelines on application equipment. For applications we recommend using hollow cone nozzle for good coverage of foliage. Not have any harmful action on the application equipment. Use the following protective equipment to handle the product during the preparation of the mixture, charging and application: boots, face, mask, goggles, gloves and spray equipment in good condition.



PREPARING THE TANK MIX: Fill the spray tank to ½ the volume of the required clean water and start stirring, add the dosage of **SALUZI® 35 SC** and complete the total volume with water. Use complete personal protection equipment to prepare the spray mix. The used equipment need to be washed carefully after preparing and applying the product.



BZ-SALUZI 35SC-LEAFLET ENGLISH-20180807

SIZE: 180(W)X150(H)MM

RECOMMENDATIONS FOR THE USE IN BELIZE

CROPS	PEST	RATES
Potato (<i>Solanum tuberosum</i>)	Trips (<i>Trips palmi</i>), stinkbug (<i>Nezara viridula</i>)	0.5 – 1.0 L/Ha (0.35 – 0.70 L/Mz)
Tomato (<i>Lycopersicon esculentum</i>)	White fly (<i>Bemisia tabaci</i>) (<i>Trialeurodes</i> spp.); Leaf miner (<i>Liriomyza</i> spp.); Trips (<i>Frankliniella</i> spp.)	
Eggplant (<i>Solanum melongena</i>)		
Tobacco (<i>Nicotiana tabacum</i>)		
Pepper (<i>Capsicum annuum</i>)		
Melon (<i>Cucumis melo</i>)	White fly (<i>Bemisia tabaci</i>) (<i>Trialeurodes</i> spp.)	
Watermelon (<i>Citrullus lanatus</i>)		
Onion (<i>Allium cepa</i>)	Trips (<i>Thrips tabaci</i>)	
Rice (<i>Oryza sativa</i>)	Leaf miner (<i>Hidrellia</i> spp.) Sogata (<i>Tagosodes</i> spp.)	100 – 150 ml /Ha (70 -105 ml/ Mz)

APPLICATION TIMING:

Apply with signs of first insect attack, or preventive in fields with history of early attack.

APPLICATION INTERNAL:

Apply to the base of the plant from 0-7 days after transplant and repeat 21 days later.

PREHARVEST INTERVAL: 21 days.

RE ENTRY INTERVAL:

It is recommended to re-enter the applied area only when the spray residue has dried completely. If re-entry is required before that compete personal protection should be used.

PHYTOTOXICITY:

SALUZI® 35 SC is not toxic to the crops indicated in the label and used in accordance with the recommendations.

COMPATIBILITY:

SALUZI® 35 SC can be applied in mixture with other common agrochemicals; however in the event a mixture is prepared for the first time we recommend doing a small scale test.

PRECAUTIONS AND INSTRUCTIONS OF USE:

STORAGE AND TRANSPORT:

Do not transport or store this product together with food, medicine, clothing, household utensils or forages. Store this product under lock, in a fresh, dry place, away from heat or fire. Keep and store this product in its original container, with corresponding label and well-sealed. Transport and store away from herbicides. **SALUZI® 35 SC** is not flammable or corrosive, but do not place near to sources of high heat.

DO NOT STORE IN HOMES
MANTAIN AWAY FROM CHILDREN, MENTALLY ILL PERSONS
DOMESTIC ANIMALS, FOOD AND MEDICINE



DO NOT EAT, SMOKE OR DRINK DURING THE HANDLING AND APPLICATION OF THIS PRODUCT.
TAKE A SHOWER AFTER WORK AND PUT ON CLEAN CLOTHES.



SYMPTOMS OF INTOXICATION:

Symptoms of intoxication include midrise (pupil dilatation), ataxia (dizziness) and muscle tremors.

FIRST AID:

BY INGESTION: Do not induce vomit, wash mouth and administer 3 to 4 spoons of activated carbon in half a glass of water. Go to medical doctor.

BY CONTACT WITH SKIN: By contact with skin wash with abundant water and soap.

BY INHALATION: Move the affected person to a place with fresh air and maintain at rest until recovered.

BY CONTACT WITH EYES: Wash the eye with abundant clean water during 15 minutes, consult a medical doctor.

NEVER GIVE DRINK OR INDUCE VOMIT TO A PERSON WHICH IS NOT CONSIOSUS

ANTIDOTE AND MEDICAL TREATMENT:

There is no specific antidote, treat the patient symptomatically.

NATIONAL CENTER OF INTOXICATIONS

PAÍS	INSTITUCIÓN	TELÉFONO
Guatemala	Centro de Información y Asesoría Toxicológica	2251-3560 y 2232-0735 1-801-00-29832
Belize	Centro de Intoxicaciones Karl Heusner Memorial Hospital	2231-1548
El Salvador	Hospital Nacional Rosales	2231-9262
Honduras	Hospital Escuela	2232-2322 y 2232-2316
Nicaragua	Centro de Prevención y Control de Sustancias Tóxicas	2289-4700 Ext: 1294 / 8755-0983
Costa Rica	Centro Nacional de Intoxicaciones	2223-1028
Panamá	Centro de Investigación e Información de Medicamentos y Tóxicos	523-4948/4968
República Dominicana	Hospital Dr. Luis E. Aybar (Morgan) Hospital Dr. Franciscó E. Moscóso Puello	809-332-6666 809-681-7828

MEASURES TO PROTECT THE ENVIRONMENT

TOXIC TO FISH AND CRUSTACEAE



TOXIC TO BEES



DO NOT CONTAMINATE RIVERS, LAKES, PONDS OR GROUND WATER
WITH THIS PRODUCT OR WITH CONTAINERS AND BOTTLES

MANAGEMENT OF BOTTLES, PACKING, RESIDUES AND REMANENTS

In case of liquid spillage or residues of pesticides absorb with sand, wood chips or any absorbent material, for solids remove as much as possible, sealing the residues in a hermetic container and take to the distributor or eliminate them in a land fill authorized by the Ministry of Health.