

# BZ-TANTOR 25 SC-LEAFLET-20160726 ENGLISH

## SIZE:180(W)X150(H)MM

PBZT03M010160726

### MANUFACTURER

**JIANGSU ROTAM CHEMISTRY CO. LTD.**  
No. 88 Rotam Road, ETDZ, Kunshan, Jiangsu, China  
TEL: 0512 - 5771 - 1988. FAX: 0512 - 5771 - 8697

### IMPORTER: DISTRIBUTOR:

COUNTRY

NUMBER  
REGISTRATION

DATE OF  
REGISTRATION

Belice

0372-1

28/07/2016

**¡STOP! READ THE PAMPHLET BEFORE USING THE PRODUCT AND CONSULT A PROFESSIONAL IN AGRICULTURAL SCIENCES**

# TANTOR® 25 SC

**FUNGICIDE - TRIAZOLE BENZIMIDAZOLE  
TEBUCONAZOLE CARBENDAZIM**

## PRECAUTION

**ANTÍDOTE: NO KNOWN ANTIDOTE**

**DENSITY: 1.08 g/ml a 20 °C**

**THIS PRODUCT MAY BE FATAL IF SWALLOWED  
AND/OR INHALED, IT MAY CAUSE DAMAGE TO EYES  
AND SKIN BY EXPOSURE**

**DO NOT STORE IN HOMES  
MANTAIN AWAY FORM CHILDREN, MENTALLY ILL PEOPLE,  
DOMESTIC ANIMALS, FOOD AND MEDICINE**



### AGRONOMIC USES:

#### MODE OF ACTION:

**TANTOR® 25 SC** is a broad spectrum systemic fungicide with protective and curative action. This product contains two active ingredients: tebuconazole and carbendazim which belong to the triazole and benzimidazole groups, respectively. Tebuconazole inhibits the synthesis of ergosterol, an important component of the cell wall of fungi. Carbendazim inhibits the polymerization of tubulin, a protein that plays a vital role in the cell division process. **TANTOR® 25 SC** acts on a wide range of phytopathogenic fungi.

#### APPLICATION EQUIPMENT:

**TANTOR® 25 SC** can be applied with ground spraying equipment and back handset using hollow cone nozzle, fungicides suitable for producing fine droplets and adequate coverage. Personnel handling this product should use personal protective equipment: rubber boots, masks, goggles, rubber gloves, and dispenser. Before loading the equipment, make sure that it is in perfect working, without leakage of wines and properly calibrated. This product does not affect the equipment application.



#### PREPARATION OF THE TANK MIX

It is recommended to make a premix with the dosage of **TANTOR® 25 SC**, then fill the tank halfway with clean water, turn on the agitation system, add the required amount of the premix prepared and finish filling the tank with clean water. For mixing, application and cleaning of equipment use full protective clothing. The equipment and utensils used in the mixing and application should be washed with plenty of soap and water after each working day.



# BZ-TANTOR 25 SC-LEAFLET-20160726 ENGLISH

## SIZE:180(W)X150(H)MM

PBZT03M010160726

### USES AUTHORIZED IN BELIZE

CROPS	PEST	DOSAGE	SPRAY INTERVAL	PRE HARVEST INTERVAL
Rice ( <i>Oryza sativa</i> )	Sheath blight ( <i>Rhizoctonia solani</i> ) Grain spotting ( <i>Fusarium</i> spp, <i>Cercospora</i> spp, <i>Pyricularia oryzae</i> )	0.75 to 1 L/Ha. (0,5 - 0,7 L/Mz)	1 month.	25 Days

Do not make more than two applications per crop cycle.

#### RE-ENTRY INTERVAL:

Re-entry time into applied areas is 12 hours. In case of the need to re-enter before the spray has dried, do so only with complete personal protection equipment.

#### PHYTOTOXICITY:

**TANTOR® 25 SC** is not toxic to the crops indicated in the label and when used in accordance with the recommendations.

#### COMPATIBILITY:

**TANTOR® 25 SC** is compatible with most agricultural products used in the crops mentioned in this label. Do not mix with oil since it can cause crop injury. Before doing a new tank mix for the first time, it is recommended to do a test on a small area.

#### PRECAUTIONS AND INSTRUCTIONS OF USE:

##### STORAGE AND TRANSPORT:

Do not transport or store this product together with food, medicine, clothing, household utensils or forages. Store this product under lock, in a fresh, dry place, away from heat or fire. Keep and store this product only in its original container, with corresponding label and well sealed. Transport and store away from herbicides. **TANTOR® 25 SC** is not flammable or corrosive, but do not place near to sources of high heat.

**DO NOT STORE IN HOMES  
MANTAIN AWAY FROM CHILDREN, MENTALLY ILL PERSONS  
DOMESTIC ANIMALS, FOOD AND MEDICINE**

**DO NOT EAT, SMOKE OR DRINK DURING THE HANDLING AND  
APPLICATION OF THIS PRODUCT, TAKE A SHOWER AND PUT ON  
CLEAN CLOTHS AFTER WORK**



**IN CASE OF INTOXICATION TAKE THE PATIENT TO A DOCTOR AND  
GIVE HIM THIS LABEL OR PAMPHLET**



#### SYMPTOMS OF INTOXICATION:

The formulated product might irritate the skin and eyes. If swallowed, it could produce nausea, vomiting, abdominal pain, diarrhea and other associated symptoms.

#### FIRST AID:

**BY INGESTION:** If the person is conscious induce vomiting but, do not induce vomit if the person is unconscious because of the risk of causing damage to the lungs of the patient (chemical pneumonitis). Seek immediate medical attention.

**BY INHALATION:** Move the affected person to a place with fresh air, and maintain at rest until completely recovered. In severe cases, use artificial respiration. Consult a physician if irritation occur.

**BY CONTACT WITH EYES:** Rinse affected eye with abundant fresh water during 15 minutes. Consult a physician if irritation occurs.

**BY CONTACT WITH SKIN:** If there is contact with skin, rinse with abundant water and soap. Remove all contaminated cloths and wash affected area with water and soap.

**NEVER GIVE DRINK OR INDUCE VOMIT TO PERSONS  
WHO IS NOT CONSIQUS**

#### ANTIDOTE AND MEDICAL TREATMENT:

There is no specific antidote, treat the patient symptomatically.

#### NATIONAL CENTERS OF INTOXICATIONS

COUNTRY	INSTITUTE	TELEPHONE
Belize	Centro de Intoxicaciones Karl Heusner Memorial Hospital	2231-1548

#### NORMS TO PROTECT THE ENVIRONMENT

##### TOXIC TO FISH AND CRUSTACEAE



**DO NOT CONTAMINATE RIVERS, LAKES, PONDS OR GROUND  
WATER WITH THIS PRODUCT OR WITH CONTAINERS AND BOTTLES  
MANAGEMENT OF BOTTLES, PACKING, RESIDUES AND REMANENTS**

In case of liquid spillage or residues of pesticides absorb with sand, wood chips or any absorbent material, for solids pick up as much as possible, placing the residues in a hermetic container and take to the distributor or eliminate them in a land fill authorized by the Ministry of Health.

Use the entire content of the bottles and when empty wash and triple rinse with clean water, adding the solution to the spray tank, destroy or puncture the empty containers. If the country has an official program for collection and empty container disposal, take these to the closest collecting center or dispose according to the guidelines of the distributor of the product.

**EMPTY CONTAINERS NEED TO BE WASHED THREE TIMES; WATER  
RESULTING FORM THE TRIPLE RINSE MUST BE ADDED TO THE SPRAYING  
TANK.**

**USING THE EMPTY PACKING AND CONTAINERS FOR DIFFERENT USE AS  
INTENDED, REPRESENTS A RISK TO HUMANS AND THE ENVIRONMENT.**

#### GUARANTEE NOTE

The manufacturer and registrant guarantees the quality of the product in its original and sealed hermetic container. It also guarantees the efficacy of the product, if it is used as indicated in the pamphlet. Since the storage and handling is out of our control it is impossible to assume the responsibility of damage resulting from such factors. We also guarantee the chemical composition of the product as indicated in the label, when the bottle is originally sealed.