

(Imidacloprid 350 g/L) HOJA DE SEGURIDAD according to Regulation (EC) No. 453/2010

:

Revision date: 28-03-2020

SECTI	ON 1: Identification of the sub	stance/mixture and of the company/undertaking	
1.1.	Product identifier		
Trade na	ame	: Saluzi [®] 35 SC (Imidacloprid 350 g/L)	
1.2.	Relevant identified uses of the substance or mixture and uses advised against		
1.2.1.	Relevant identified uses		
Main use	e category	: Professional use	
	ne substance/preparation	: Insecticide to be used by professionals for agriculture	
1.2.2.	Uses advised against		
No addit	ional information available		
1.3.	Details of the supplier of the safety of	data sheet	
Unit 6, 2 Tel.: 85	Agrochemical Company Ltd 6/F Trend Centre, 29 Cheung Lee Street 2-2896 0662 Fax : 852-2558 6577 rotam.com	t, Chai Wan, Hong Kong	
1.4.	Emergency telephone number		
Emerger	ncy number	: (86) 532 8388 9090	
SECTI	ON 2: Hazards identification		
2.1.	Classification of the substance or m	ixture	
Extreme	cation according to Regulation (EC) N Tox. (Inhalation: dust, mist), Category 4 Acute 1 Chronic 1		
	of H-phrases: see section 16		
Adverse	e physicochemical, human health and ional information available	environmental effects	
2.2.	Label elements		
	g according to Regulation (EC) No. 12 bictograms (CLP)	272/2008 [CLP]	
Signal w	ord (CLP)	: Warning	
Hazard s	statements (CLP)	: H332 - Harmful if inhaled H410 - Very toxic to aquatic life with long lasting effects	
Precauti	onary statements (CLP)	 P261 – Avoid breathing dust, mist P271 - Use only outdoors or in a well-ventilated area P273 - Avoid release to the environment P304+P340 - IN CASE OF INHALATION: Remove person to fresh air and keep in a position that facilitates breathing. P312 - Call a POISON CENTER if the person is unwell P391 - Collect spillage P501 - Dispose of contents/container to local regulation. 	
2.3.	Other hazards		
No addit	ional information available		

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

(Imidacloprid 350 g/L) Safety Data Sheet according to Regulation (EC) No. 453/2010

3.2. Mixtures			
Name	Product identifier	g/L	Classification according to Directive 67/548/EEC
Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmethyl)-N- Nitroimidazolidin-2-Ylidenamine	(CAS No.) 138261-41-3 (EC no) 428-040-8 (EC index no) 612-252-00-4	350	Xn; R22 N; R50/53
Name	Product identifier	g/L	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmethyl)-N- Nitroimidazolidin-2-Ylidenamine	(CAS No.) 138261-41-3	350	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 (M=10)

Full text of R-, H- and EUH-phrases: see section 16

SECTION 4: First aid measures					
4.1. Description of first aid measures					
First-aid measures general	: Call a physician or poison control center immediately.				
First-aid measures after ingestion	: Induce vomiting by giving a mixture of warm water with salt.				
First-aid measures after inhalation	: Move the affected person to a place with fresh air and maintain at rest until recovered.				
First-aid measures after eye contact	Clean the eye with abundant water for 15 mintues.				
First-aid measures after skin contact	: If there is contact with skin, clean with abundant water and soap, remove all contaminated clothing and clean skin with water and soap.				
4.2. Most important symptoms and effect	cts, both acute and delayed				
No additional information available					
4.3. Indication of any immediate medica	I attention and special treatment needed				
Call a physician or poison control center immedi	ately.				
SECTION 5: Firefighting measures					
5.1. Extinguishing media					
Suitable extinguishing media	: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂).				
Unsuitable extinguishing media	: High volume water jet.				
5.2. Special hazards arising from the su					
Fire hazard	: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide, nitrogen oxides (NOx).				
Explosion hazard	: Product is not explosive.				
Reactivity	: The product is stable at normal handling- and storage conditions.				
5.3. Advice for firefighters					
Precautionary measures fire	: Wear self-contained breathing apparatus and protective suit (see item 8).				
Firefighting instructions	: Prevent runoff from entering drains, sewers or waterways.				
SECTION 6: Accidental release mean	sures				
6.1. Personal precautions, protective eq	uipment and emergency procedures				
6.1.1. For non-emergency personnel					
Protective equipment	: Wear personal protective equipment.				
6.1.2. For emergency responders					
	. Wear a solf contained breathing apparatus and appropriate personal protective againment				
Protective equipment	: Wear a self-contained breathing apparatus and appropriate personal protective equipment (PPE).				
6.2. Environmental precautions					
Do not allow material to contaminate ground wat	ter system.				
-	-				
6.3. Methods and material for containme					
For containment	: Sweep or shovel spills into appropriate container for disposal.				
Methods for cleaning up	: Large spills: scoop solid spill into closing containers. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.				
6.4. Reference to other sections					
No additional information available					
SECTION 7: Handling and storage					
7.1. Precautions for safe handling					
Additional hazards when processed : Wear proper protective equipment.					
	EN (English) 2/6				
20 00 2020	Lit (Ligion) 2/0				

(Imidacloprid 350 g/L)

Safety Data Sheet

according to Regulation (EC) No. 453/2010 : Do not get in eyes, on skin or on clothing. Precautions for safe handling 7.2. Conditions for safe storage, including any incompatibilities No additional information available 7.3. Specific end use(s) No additional information available SECTION 8: Exposure controls/personal protection 8.1. **Control parameters** No additional information available 8.2. **Exposure controls** No additional information available **SECTION 9: Physical and chemical properties** Information on basic physical and chemical properties 9.1. Physical state : Liquid Colour : White Odour : No data available Odour threshold : No data available : No data available pН Relative evaporation rate (butylacetate=1) : No data available Melting point No data available : No data available Freezing point : No data available Boiling point Flash point : No data available Self ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Not flammable Vapour pressure No data available Relative vapour density at 20 °C No data available : : 1,135 Relative density Solubility : No data available Log Pow : No data available Log Kow : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties Product is not explosive. Oxidising properties : Not Oxidising. Explosive limits : No data available 92 **Other information** No additional information available SECTION 10: Stability and reactivity 10.1. Reactivity The product is stable at normal handling- and storage conditions. 10.2. **Chemical stability** Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

All heat sources.

10.5. Incompatible materials

Strong acids, strong bases and oxidation agents.

10.6. Hazardous decomposition products

No additional information available

(Imidacloprid 350 g/L) Safety Data Sheet according to Regulation (EC) No. 453/2010

according to Regulation (EC) No. 453/2010				
SECTION 11: Toxicological information				
11.1. Information on toxicological effects				
Saluzi [®] 35 SC (Imidacloprid 350 g/L)				
LD50 oral rat	2000 mg/kg			
LD50 dermal rat	> 4640 mg/kg			
LC50 inhalation rat (mg/l)	2.38 mg/l/4h			
Skin corrosion/irritation : Not classifed				
Serious eye damage/irritation : Not classified				
Respiratory or skin sensitisation : Not classified				
Germ cell mutagenicity	Not classified			
Carcinogenicity	Not classified			
Reproductive toxicity : Not classified				
Specific target organ toxicity (single exposure)	Not classified			
	Not classified			
exposure) Aspiration hazard	Harmful if inhaled.			
SECTION 12: Ecological information 12.1. Toxicity				
	 Very toxic to aquatic organisms with long lasting effects 			
Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3)			
CL ₅₀ peces 1	211 mg/l (Trucha arcoiris)			
CL ₅₀ otros organismos acuáticos 2	0,055 mg/l (Chironomus riparius)			
CE ₅₀ Daphnia 1	85 mg/l			
ErC ₅₀ (algas)	> 100 mg/l (Pseudokirchneriella subcapitata)			
12.2. Persistence and degradability				
Saluzi 35 SC (Imidacloprid 350 g/L)				
Persistence and degradability	May cause long-term negative effects on the environment.			
Persistence and degradability	May cause long-term negative effects on the environment. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3)			
Persistence and degradability				
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3)			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Persistence and degradability	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3)			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Persistence and degradability 12.3. Bioaccumulative potential	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3)			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment.			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established.			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3)			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Log Pow	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Log Pow Bioaccumulative potential	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Log Pow Bioaccumulative potential 12.4. Mobility in soil No additional information available	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established.			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Log Pow Bioaccumulative potential 12.4.	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established.			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Log Pow Bioaccumulative potential 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment No additional information available	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established.			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Log Pow Bioaccumulative potential 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment No additional information available 12.6. Other adverse effects	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established.			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Log Pow Bioaccumulative potential 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment No additional information available 12.6. Other adverse effects Additional information	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established.			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Log Pow Bioaccumulative potential 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment No additional information available 12.6. Other adverse effects Additional information SECTION 13: Disposal considerations	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established.			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Log Pow Bioaccumulative potential 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment No additional information available 12.6. Other adverse effects Additional information SECTION 13: Disposal considerations 13.1. Waste treatment methods	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established. As not been established. Avoid release to the environment.			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Log Pow Bioaccumulative potential 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment No additional information available 12.6. Other adverse effects Additional information SECTION 13: Disposal considerations 13.1. Waste treatment methods Recommendations for waste disposal	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established. base of been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established. •			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Log Pow Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Log Pow Bioaccumulative potential 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment No additional information available 12.6. Other adverse effects Additional information SECTION 13: Disposal considerations 13.1. Waste treatment methods Recommendations for waste disposal Ecology - waste	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established. •			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Log Pow Bioaccumulative potential 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment No additional information available 12.6. Other adverse effects Additional information SECTION 13: Disposal considerations 13.1. Waste treatment methods Recommendations for waste disposal Ecology - waste SECTION 14: Transport information	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established. •			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-YImet Log Pow Bioaccumulative potential 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment No additional information available 12.6. Other adverse effects Additional information SECTION 13: Disposal considerations 13.1. Waste treatment methods Recommendations for waste disposal Ecology - waste SECTION 14: Transport information In accordance with ADR / RID / ADNR / IMDG / IC	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established. •			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Log Pow Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Log Pow Bioaccumulative potential 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment No additional information available 12.6. Other adverse effects Additional information SECTION 13: Disposal considerations 13.1. Waste treatment methods Recommendations for waste disposal Ecology - waste SECTION 14: Transport information In accordance with ADR / RID / ADNR / IMDG / IC 14.1. UN number	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established. •			
Persistence and degradability Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Persistence and degradability 12.3. Bioaccumulative potential Saluzi 35 SC (Imidacloprid 350 g/L) Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Log Pow Bioaccumulative potential Imidacloprid (Iso); 1-(6-Chloropyridin-3-Ylmet Log Pow Bioaccumulative potential 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment No additional information available 12.6. Other adverse effects Additional information SECTION 13: Disposal considerations 13.1. Waste treatment methods Recommendations for waste disposal Ecology - waste SECTION 14: Transport information In accordance with ADR / RID / ADNR / IMDG / IC 14.1. UN number N° ONU (ADR)	hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) May cause long-term negative effects on the environment. It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established. hyl)-N-Nitroimidazolidin-2-Ylidenamine (138261-41-3) 0.58 It has not been established. •			

(Imidacloprid 350 g/L)

according to Regulation (EC) No. 453/2010	2022
N° ONU (IATA)	: 3082
N° ONU (ADN) N° ONU (RID)	: 3082 : 3082
14.2. UN proper shipping name	. 5002
Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Imidacloprid)
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Imidacloprid) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Imidacloprid)
Proper Shipping Name (IATA)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Imidacioprid)
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Imidacloprid)
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidacloprid)
Transport document description (ADR)	: UN 30827 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidacloprid) III. MARINE POLLUTANT / DANGEROUS FOR THE ENVIRONMENT
Transport document description (IMDG)	: UN 30827 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidacloprid) III. MARINE POLLUTANT / DANGEROUS FOR THE ENVIRONMENT
Transport document description (IATA)	: UN 30827 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Imidacloprid) III. MARINE POLLUTANT / DANGEROUS FOR THE ENVIRONMENT
Transport document description (ADN)	: UN 30827 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Imidacloprid) III. MARINE POLLUTANT / DANGEROUS FOR THE ENVIRONMENT
Transport document description (RID)	: UN 30827 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidacloprid) III. MARINE POLLUTANT / DANGEROUS FOR THE ENVIRONMENT
14.3. Transport hazard class(es)	
ADR	
Class (ADR) Hazard labels (ADR)	: 9 : 9
IMDG	
Class (IMDG)	: 9
Hazard labels (IMDG)	: 9
ΙΑΤΑ	· •
Class (IATA)	: 9
Hazard labels (IATA)	: 9
ADN	
Class (ADN)	: 9
Hazard labels (ADN)	: 9

RID Class (RID) Hazard labels (RID)

: 9

: 9

:

~

¥

(Imidacloprid 350 g/L)

Safety Data Sheet

according to Regulation (EC) No. 453/2010

: 11
: III
: 11
: III
: 11
: Yes
: Yes
: No supplementary information available.

14.6.1. **Overland transport**

Classification code (UN)	: M6	
Orange plates	:	90
		3082
Special provision (ADR)		274, 335, 601, 375
Transport category (ADR)		3
Tunnel restriction code	:	E1
Limited quantities (ADR)		5L
Excepted quantities (ADR)	:	E1
EAC code	:	•3Z

14.6.2. Transport by sea

Not applicable

14.6.3. Air transport

Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7.

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions Contains no REACH candidate substance

15.1.2. National regulations

No additional information available

15.2. **Chemical safety assessment**

No additional information available

SECTION 16: Other information

Full text	of R	H- and	EUH-	phrases::
	•••••			p ao o o

tox of re, rr and Eori philoboli.			
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1		
H302	Harmful if swallowed		
H400	Very toxic to aquatic life		
H410	Very toxic to aquatic life with long lasting effects		
R22	Harmful if swallowed.		
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
N	Dangerous for the environment		
Xn	Harmful		
	Acute Tox. 4 (Oral) Aquatic Acute 1 Aquatic Chronic 1 H302 H400 H410 R22 R50/53 N		

SDS EU (REACH Annex II)

Disclaimer: The information provided by Rotam Agrochemical Co., Ltd contained herein is given in good faith and correct to the best of our knowledge. However, the information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.