

JM-CODIGO-LEAFLET-20170327

SIZE:145(W)X120(H)MM P JMC26M010170327

MEASURES TO PROTECT THE ENVIRONMENT

TOXIC TO FISH AND CRUSTACEAE



DO NOT USE AT A DISTANCE LESS THAN 100 METERS AWAY FROM ANY WATER BODIES.



TOXIC TO BIRDS AND BEES

DO NOT APPLY WHEN CROPS ARE FLOWERING.

DO NOT CONTAMINATE RIVERS, LAKES, PONDS OR GROUND WATER WITH THIS PRODUCT OR WITH CONTAINERS AND BOTTLES.

MANAGEMENT OF BOTTLES, PACKING, RESIDUES AND REMANENTS

In case of liquid spillage or residues of pesticides absorb with sand, wood chips or any absorbent material, for solids remove as much as possible, sealing the residues in a hermetic container and take to the distributor. Use the entire content of the bottles and when empty wash and triple rinse with clean water, adding the solution to the spray tank, destroy or puncture the empty containers. If the country has an official program for collection and empty container disposal, take these to the closest collecting center or dispose according with the instructions of the distributor of the product.

**EMPTY CONTAINERS NEED TO BE WASHED THREE TIMES;
WATER RESULTING FROM THE TRIPLE RINSE MUST BE ADDED
TO THE SPRAY TANK.**

**USING THE EMPTY PACKING AND CONTAINERS FOR DIFFERENT
USE AS INTENDED, REPRESENTS A RISK TO HUMANS AND THE
ENVIRONMENT.**

GUARANTEE NOTE

The manufacturer and registration owner guarantees the quality of the product in its original and sealed hermetic container. It also guarantees the efficacy of the product, if it is used as indicated in the pamphlet. Since the storage and handling is out of our control it is impossible to assume the responsibility of damage resulting from such factors. We also guarantee the chemical composition of the product as indicated in the label, when the bottle is originally sealed.

FORMULATED BY:

JIANGSU ROTAM CHEMISTRY, CO., LTD. CHINA.
N° 88 Rotam Road, ETDZ, Kunshan 215301, Jiangsu.
TEL: 0512 - 5771 - 1988 FAX: 0512 - 5771 - 8697

COUNTRY	REGISTRATION NUMBER	REGISTRATION DATE
JAMAICA	MHPI/002/17	2017, February 09.

**¡STOP! READ THE PAMPHLET BEFORE USING THE PRODUCT AND
CONSULT A PROFESSIONAL IN AGRICULTURAL SCIENCES**

CODIGO® 25 WG

INSECTICIDE - NEONICOTINOID
THIAMETHOXAM

CAUTION

ANTIDOTE: NO KNOWN ANTIDOTE

**THIS PRODUCT IS MODERATELY TOXIC, IT DOES NOT IRRITATE
EYES OR SKIN, HOWEVER NORMAL PRECAUTIONS FOR THE
HANDLING OF AGROCHEMICALS SHOULD BE OBSERVED
DURING HANDLING AND APPLICATION OF THIS PRODUCT**

**DO NOT STORE IN HOMES
STORE AWAY FROM CHILDREN, MENTALLY ILL PEOPLE,
DOMESTIC ANIMALS, FOOD AND MEDICINE**



AGRONOMIC USES:

MODE OF ACTION:

CODIGO® 25 WG is a systemic and translaminar insecticide with broad spectrum of action and fast penetration. It acts by contact and ingestion interfering messages receptors in the nervous system of insects, causing them to stop feeding and die immediately thereafter.

APPLICATION EQUIPMENT:

CODIGO® 25 WG can be applied with any terrestrial equipment, including back sprayers, using hollow cone nozzles designed for fungicide and insecticide application, producing fine drops and good coverage. Personnel manipulating this product should use complete personal protection equipment: overalls, rubber boots, respirator and wear goggles. Before loading the equipment, make sure it is in good working conditions, without leaks, and well calibrated. This product does not affect the spraying equipment.



PREPARING THE TANK MIX:

It is recommended to prepare a premix, of the dosage to be used and water, after that fill the spray tank to ½ the volume of the required water, start stirring, add the premix to the tank and while stirring add the rest of the water up to the required volume. Use complete personal protection equipment to prepare the spray mix. Used equipment need to be washed carefully after preparing and applying the product.



JM-CODIGO-LEAFLET-20170327

SIZE:145(W)X120(H)MM

RECOMMENDAED USES:

CROPS	PEST	RATES
Tomato (<i>Lycopersicum esculentum</i>)	White fly (<i>Bemisia tabaci</i>) (<i>Trialeurodes</i> sp.)	250 – 400 g/Ha (175 – 280 g/Mz)
Chili pepper (<i>Capsicum</i> sp.)	Aphis (<i>Aphis</i> sp.)	
Melon (<i>Cucumis melo</i>)	Aphis (<i>Myzus</i> sp.) (<i>Macrosiphum</i> sp.)	
Watermelon (<i>Citrullus lanatus</i>)	Aphis (<i>Myzus</i> sp.) White fly (<i>Bemisia tabaci</i>)	
Tobacco (<i>Nicotiana tabacum</i>)		
Rice (<i>Oryza sativa</i>)	Stinck bugs (<i>Oebalus insularis</i>)	50 - 100 g/Ha (35- 70 g/Mz)

SPRAYING INTERVALS:

Tomato and chili peppers: Depending on the level of pest pressure, make two or three applications at 2-3, 12-15 and / or 25 days after transplant. Applications aimed at the base of the plant in a volume of 25 ml solution / plant.

Water volume: 500 L / ha to 20,000 plants / ha. Make a maximum of 3 applications per crop cycle. Do not mix with other insecticides in the same group.

Tobacco: A single application 7 days after transplant or after reseeded. Applications aimed at the base of the plant in a volume of 25 ml solution / plant. Water volume: 500 L / ha to 20,000 plants / ha. Make a maximum of 3 applications per crop cycle. Do not mix with other insecticides in the same group.

Rice: Apply CODIGO @25 WG from 15 days after the germination of the crop, when insects appear.

Melon and Watermelon: Depending on the level of pest pressure, make one or two applications at 3-7 and / or 20-25 days after transplanting. Applications aimed at the base of the plant in a volume of 25 ml solution / plant. Water volume: 400 L / ha.

PRE-HARVEST INTERVALS:

Tomato, Chili peppers, Melon and Watermelon: 3 days.

Tobacco: 14 days.

Rice: 30 days.

RE ENTRY INTERVAL:

Reentry to treated areas is recommended when the spray residue has dried completely; if reentering is done before that it is recommended to use full personal protection equipment, same as during the spray.

PHYTOTOXICITY:

CODIGO® 25 WG is not phytotoxic to the crops when used at the recommended rates.

COMPATIBILITY:

When used as recommended by the manufacturer, **CODIGO® 25 WG** is compatible and can be applied in mixture with other Agrochemical products of common use in agriculture, however before preparing a tank mix for the first time it is recommended to do small scale test.

PRECAUTIONS AND INSTRUCTIONS OF USE:

STORAGE AND TRANSPORT:

Do not transport or store this product together with food, medicine, clothing, household utensils or forages. Store this product under lock, in a fresh, dry place, away from heat or fire. Keep and store this product in its original container, with corresponding label and well-sealed. Transport and store away from herbicides. **CODIGO® 25 WG** is not flammable or corrosive, but do not place near to sources of high heat.

**DO NOT STORE IN HOMES
STORE AWAY FROM CHILDREN, MENTALLY ILL PERSONS
DOMESTIC ANIMALS, FOOD AND MEDICINE**

**DO NOT EAT, SMOKE OR DRINK DURING THE HANDLING
AND APPLICATION OF THIS PRODUCT. TAKE A SHOWER
AFTER WORK AND PUT ON CLEAN CLOTHES.**



SYMPTOMS OF INTOXICATION:

There are no specific symptoms of intoxication. The product does not irritate skin or eyes.



FIRST AID:

BY INGESTION: Induce vomiting by giving a mixture of warm water with salt. Seek medical assistance.

BY INHALATION: Move the affected person to a place with fresh air and maintain at rest until recovered.

BY CONTACT WITH EYES: Wash the eye with abundant clean water during 15 minutes.

BY CONTACT WITH SKIN: If there is contact with skin, clean with abundant water and soap, remove all contaminated clothing and clean skin with water and soap.

NEVER GIVE DRINK OR INDUCE VOMITING TO A PERSON WHICH IS NOT CONSIIOUS

ANTIDOTE AND MEDICAL TREATMENT:

There is no specific antidote, treat the patient symptomatically.

COUNTRY

Jamaica

INSTITUTE

POISON CONTROL
CENTER CARPIN

TELEPHONE

1-888-POISONS
(764-7667)