

NEVER GIVE DRINK OR INDUCE VOMITING TO PERSONS THAT ARE NOT CONSCIOUS

ANTIDOTE AND MEDICAL TREATMENT:

There is no specific antidote, treat the patient symptomatically.

NATIONAL CENTERS OF INTOXICATIONS

COUNTRY	INSTITUTE	TELEPHONE
JAMAICA	POISON CONTROL CENTER CARPIN	1-888-764-7667 or 188- POISONS

ENVIRONMENTAL HAZARDS

TOXIC TO FISH AND CRUSTACEAE



DO NOT CONTAMINATE RIVERS, LAKES, PONDS OR GROUND WATER WITH THIS PRODUCT OR WITH CONTAINERS AND BOTTLES

MANAGEMENT OF BOTTLES, PACKING AND RESIDUES

In case of liquid spillage or residues of pesticides absorb with sand, wood chips or any absorbent material, placing the residues in a hermetic container and take to the distributor or dispose of in authorized landfill. Use the entire content of the bottles and when empty wash and triple rinse with clean water, adding the solution to the spray tank, destroy or puncture the empty containers. If the country has an official program for collection and empty container disposal, take these to the closest collecting center or dispose according with the instructions of the distributor of the product.

EMPTY CONTAINERS NEED TO BE WASHED THREE TIMES; WATER RESULTING FORM THE TRIPLE RINSE MUST BE ADDED TO THE SPRAYING TANK.

USING THE EMPTY PACKING AND CONTAINERS FOR DIFFERENT USE AS INTENDED, REPRESENTS A RISK TO HUMANS AND THE ENVIRONMENT.

GUARANTEE NOTE

The manufacturer and registrant guarantees the quality of the product in its original and sealed hermetic container. It also guarantees the efficacy of the product, if it is used as indicated in the pamphlet. Since the storage and handling is out of our control it is impossible to assume the responsibility of damage resulting from such factors. We also guarantee the chemical composition of the product as indicated in the label, when the bottle is originally sealed.

MANUFACTURER

JIANGSU ROTAM CHEMISTRY CO. LTD., CHINA
PHONE: 0512 - 5771 - 1988 FAX: 0512 - 5771 - 8697

**IMPORTER:
DISTRIBUTOR:**

COUNTRY	REGISTRATION NUMBER	DATE OF REGISTRATION
JAMAICA	MHPF/005/15-R	08-10-15

**KEEP OUT OF THE REACH OF CHILDREN
¡STOP! READ THE PAMPHLET BEFORE USING THE PRODUCT AND CONSULT A PROFESSIONAL IN AGRICULTURAL SCIENCES**

RODAZIM® 50 SC

FUNGICIDE - BENZIMIDAZOLE
CARBENDAZIM

CHEMICAL COMPOSITION w/v

ACTIVE INGREDIENT:
Methyl benzimidazol-2-yl carbamate50%
INERT INGREDIENTS.....50%
TOTAL.....100%

Content 500 grams of active ingredient per liter of commercial product

CAUTION

ANTÍDOTE: NO KNOWN ANTIDOTE

Density: 1,18 g/mL a 20 °C

THIS PRODUCT MAY BE FATAL IF SWALLOWED AND/OR INHALED, IT MAY CAUSE DAMAGE TO EYES AND SKIN BY EXPOSURE



**DO NOT STORE IN HOMES
STORE AWAY FORM CHILDREN, MENTALLY ILL PEOPLE,
DOMESTIC ANIMALS, FOOD AND MEDICINE**

AGRONOMIC USE:

MODE OF ACTION:

RODAZIM® 50 SC is a fungicide formulated based on carbendazim, a systemic fungicide, from the group of benzimidazoles. It inhibits tubulin a protein which is a vital component of the fungal cells and essential for cell division, acting on a broad range of phytopathogenic fungi. As systemic fungicide it acts not only on the parts of crops receiving the application of the product but is translocated acro petally to new parts of the plant giving a longer time of protection.

APPLICATION EQUIPMENT:

RODAZIM® 50 SC can be applied with any terrestrial equipment, including back sprayers, using hollow cone nozzles designed for fungicide application, producing fine drops and a good coverage. Personnel manipulating this product should use complete personal protection equipment: boots, face mask, goggles, gloves, cover all or long sleeve shirt and long pants. Before loading the equipment, make sure it is in good working conditions, without leaks, and well calibrated. This product does not affect the spraying equipments.



PREPARING THE SPRAY MIXTURE:

It is recommended to prepare a pre mix of the dosage to be used and water, after that fill the spray tank to ½ the volume of the required water, start stirring, add the pre-mix to the tank and while stirring add the rest of the water up to the required volume. Use complete personal protection equipment to prepare the spray mix. The used equipments need to be washed carefully after preparing and applying the product.



RECOMMENDED USES:

CROP	DISEASES	RATE ml/200 L of water and per Ha.	SPRAY INTERVALS	PHI
Avocado (<i>Persea americana</i>)	Black spot (<i>Cercospora purpurea</i>) Anthracnose (<i>Colletotrichum gloeosporioides</i>)	200 - 300 ml/200 L. 400 - 600 ml/Ha.	Monthly spray with visible symptoms.	30 days
Rice (<i>Oryza sativa</i>)	Rice Blast (<i>Pyricularia oryzae</i>)	250 - 500 ml/200 L. 0.5 - 1.0 L/Ha. In aerial spray use 55-70 L of tank mix per Ha.	Monthly	21 days
Banana (<i>Musa spp</i>)	Black Sigatoka (<i>Mycosphaella fijiensis</i>) Yellow Sigatoka (<i>Mycosphaella muscolola</i>)	250 - 500 ml/200 L. 0.5 - 1.0 L/Ha. In aerial spray use 55-70 L of tank mix per Ha.	Apply every 14 - 21 days	0 days
Onion (<i>Allium cepa</i>) Garic (<i>Allium sativum</i>)	Fusarium (<i>Fusarium spp.</i>) White mold (<i>Sclerotinia sclerotiorum</i>) Early blight (<i>Cercospora apii</i>) Leaf spot (<i>Cercospora spp.</i>)	200 - 400 ml/200 L. 400 - 800 ml/Ha.	Apply with first symptoms, every 14 - 21 days	7 days

Melon (<i>Cucumis melo</i>)	Anthracnose (<i>Colletotrichum gloeosporioides</i>) Powdery Mildew (<i>Erysiphe chichoracearum</i>) Gum spot (<i>Mycosphaera citrullina</i>)	250 - 500 ml/200 L. 0.5 - 1.0 L/Ha.	Apply with first symptoms, every 14 - 21 days	7 days
Cucumber (<i>Cucumis sativus</i>)				
Tomato (<i>Lycopersicon esculentum</i>)				
Citrus (<i>Citrus spp</i>)	Scab (<i>Sphaceloma fawcettii</i>) Anthracnose (<i>Colletotrichum gloeosporioides</i>)	200 - 350 ml/200 L. 400 - 700 ml/Ha.	Apply with first symptoms, every 14 - 21 days	8 days
Pine Apple (<i>Ananas comosus</i>)	Anthracnose (<i>Colletotrichum gloeosporioides</i>) Fusarium (<i>Fusarium spp.</i>)	200 - 400 ml/200 L. 400 - 800 ml/Ha.	Apply with first symptoms, every 14 - 21 days	8 days
Mango (<i>Mangifera indica</i>)	Anthracnose (<i>Colletotrichum gloeosporioides</i>)	200 - 400 ml/200 L. 400 - 800 ml/Ha.	Apply with first symptoms, every 14 - 21 days	14 days
Lettuces (<i>Lactuca indica</i>)	Moho blanco (<i>Sclerotinia spp.</i>)	100 - 200 ml/200 L. 200 - 400 ml/Ha.	Apply with first symptoms, every 14 - 21 days	7 days
Ornamentals	Grey mold (<i>Botrytis spp.</i>) Leaf spot (<i>Septoria spp.</i>) Fusarium (<i>Fusarium spp.</i>)	200 - 400 ml/200 L. 400 - 800 ml/Ha.	Apply with first symptoms, every 14 - 21 days	No restriction

Do not apply more than 4 times during any crop cycle.

RE ENTRY INTERVAL:

The recommended time to re enter treated areas is of 12 hours after spraying. In case re entry is required before that it is recommended to use full personal protection equipment.

PHYTOTOXICITY:

RODAZIM® 50 SC, is not toxic to the crops indicated in the label y used in accordance with the recommendations.

COMPATIBILITY:

Uses in accordance with the recommendations of the manufacturer **RODAZIM® 50 SC** is compatible and dose not cause phytotoxicity to the crops for which it has been developed. It can be applied in tank mix with other commonly used agricultural products, except with crop oil in case of banana, but before making a mix for the first time it is recommended to make a small scale test.

PRECAUTIONS AND INSTRUCTIONS FOR USE:

STORAGE AND TRANSPORT:

Do not transport or store this product together with food, medicine, clothing, household utensils or animal feed. Store this product under lock, in a fresh, dry place, away from heat or fire. Keep and store this product only in its original container, with corresponding label and well sealed. Transport and store away from herbicides. **RODAZIM® 50 SC** is not flammable or corrosive, but do not place near to sources of high heat.



DO NOT STORE Y HOMES STORE AWAY FROM CHILDREN, MENTALLY ILL PERSONS DOMESTIC ANIMALS, FOOD AND MEDICINE

DO NOT EAT, SMOKE OR DRINK DURING THE HANDLING AND APPLICATION OF THIS PRODUCT, TAKE A SHOWER AFTER WORK AND PUT ON CLEAN CLOTHES.



IN CASE OF INTOXICATION TAKE PATIENT TO THE DOCTOR AND GIVE COPY OF THIS LABEL OR PAMPHLET

SYMPTOMS OF INTOXICATION:

It may cause irritation to skin and eyes. If ingested it may cause nausea, vomiting, abdominal pain, diarrhea and other associated symptoms.

FIRST AID:

INGESTION: If the person is conscious induce vomiting, if not avoid inducing vomiting, if might provoke pulmonary aspiration and transfer the patient to the nearest doctor.

INHALATION: Move the affected person to a place with fresh air and maintain at rest until recovered. Put covers on the patient in case of hypothermia. In bad cases give artificial respiration.

CONTACT WITH EYES: Clean the eye with plenty water for 15 minutes. Consult a doctor in case of irritation.

CONTACT WITH SKIN: If there is contact with skin, clean with plenty water and soap, remove all contaminated clothing and clean skin with water and soap.