

TT-Plot 60 WG-LEAFLET-20150513

size:150(w)x100(h)mm

PTTP02M010150513

PRECAUTIONS AND WARNING FOR USE:

- Do not store in dwellings. Keep under lock and key, away from the reach of children.
- Use rubber boots, respirator, goggles and gloves when handling or applying this product.
- Do not eat smoke or drink while handling or applying this product.
- Shower after working with this product and wear clean clothes. Do not store and transport next to food or animal feed.



IN CASE OF INTOXICATION

TAKE THE PATIENT TO A PHYSICIAN AND PRESENT THIS LABEL

SYMPTOMS OF INTOXICATION

There are no specific symptoms. If ingested can cause gastro intestinal symptoms, skin or eye irritation.

FIRST AID:

INGESTION: Induce vomiting by giving a mixture of warm water with salt.

CONTACT WITH SKIN: Remove contaminated clothing and wash affected skin with plenty of soap and water.

INHALATION: Seek fresh air immediately.

CONTACT WITH EYES: Immediately flush eyes with plenty of water for 15 minutes. Seek medical attention.

**DO NOT GIVE TO DRINK OR
INDUCE VOMITING TO PERSONS IN AN UNCONCIUS STATE**

MEDICAL TREATMENT: No specific antidote exists. Follow symptomatic therapy.

PROTECT THE ENVIRONMENT WITH GOOD AGRICULTURAL PRACTICES, COMPLY WITH THE RECOMMENDATIONS PROVIDED IN THE PAMPHLET

DIRECTIONS FOR USE

CROP	WEEDS CONTROLLED	RATE G/AC
Rice	<i>Ipomea</i> spp, <i>Sesbania</i> spp, <i>Birdeye</i> , <i>Sleepy Morning Purslane</i> , <i>Watergrass</i> , <i>Hogweed</i> ,	6g (Rice)
Pasture	<i>Wild Cucumber</i> , <i>Soapbush</i> , <i>Milkweed</i>	6-8g (Pasture)
Citrus	<i>Nightshade</i> <i>Mimosa</i> spp, <i>Jussia</i> spp	5-10
Cocoa	<i>Doveweed</i> , <i>Kidneyweed</i> , <i>Congo lala</i> ,	(Citrus, coffee and cocoa)
Coffee	<i>Broomweed</i> , <i>Wildpea</i> <i>Amaranthus</i> spp <i>Arrowhead Vine</i> ,	Use with a surfactant

Re-entry Interval: 24 hrs

Method of Application- RICE) Prepare a pre-mix. Use standard ground sprayers with flat fan nozzles. Ensure good coverage Apply as burn down practice in tank mix with glyphosate or in post emergence after 15 days of emergence (4-5 leaves) until 35 days after emergence. Never apply after 35 days of emergence.

COMPATIBLE with a wide range of Agrochemicals. Do a Jar Test if unsure.

TOXIC TO FISH AND CRUSTACEA

DO NOT CONTAMINATE RIVERS, LAKES OR PONDS WITH THIS PRODUCT OR ITS EMPTY CONTAINER.



DO NOT RE-USE THIS PACKAGE. Triple rinse empty bottle, apply washings to treatment area, puncture bottle and bury in an approved disposal area

Warranty Declaration-The seller guarantees the product in this container complies with the terms on the label and pamphlet. The buyer assumes any risks to persons and property arising out of the improper use, storage and handling **PLOT@60 WG**