



# GLIDER® 72 SC

(Chlorothalonil 720 g/L)

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 7/12/2012

Revision date: 7/6/2016

Supersedes:

Version: 3.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Glider 72 SC  
(Chlorothalonil 720 g/L)  
Product code : FF-030

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only  
Use of the substance/mixture : Agriculture Fungicide

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Rotam Agrochemical Company Limited  
Unit 6, 26/F, Trend Centre, 29 Cheung Lee Street, Chai Wan, Hong Kong  
T 00852 2896 0662 - F 00852 25586577  
[msds@rotam.com](mailto:msds@rotam.com)

#### MANUFACTURER AND FORMULATOR:

JIANGSU ROTAM CHEMISTRY, CO., LTD.  
N° 88 Rotam Road, ETDZ, Kunshan 215301, Jiangsu. China.  
TEL: 0512 – 5771 – 1988 FAX: 0512 – 5771 – 8697

#### 1.4. Emergency telephone number

Emergency number : (86) 532 8388 9090

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhalation:dust,mist) Category 3	H331	On basis of test data
Serious eye damage/eye irritation, Category 2	H319	Expert judgment
Carcinogenicity, Category 2	H351	Calculation method
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335	Calculation method
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400	On basis of test data
Hazardous to the aquatic environment — Chronic Hazard, Category 1	H410	Calculation method

Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Suspected of causing cancer. Toxic if inhaled. May cause respiratory irritation. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS06

GHS08

GHS09

Signal word (CLP) :

Danger

Hazardous ingredients :

Chlorothalonil (ISO); tetrachloroisophthalonitrile

Hazard statements (CLP) :

H319 - Causes serious eye irritation  
H331 - Toxic if inhaled  
H335 - May cause respiratory irritation  
H351 - Suspected of causing cancer

# GLIDER® 72 SC

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Precautionary statements (CLP)	H410 - Very toxic to aquatic life with long lasting effects : P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P261 - Avoid breathing dust, mist P264 - Wash hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P273 - Avoid release to the environment P280 - Wear protective clothing, protective gloves P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P308+P313 - IF exposed or concerned: Get medical advice/attention P311 - Call a POISON CENTER P321 - Specific treatment (see the instruction on this label) P337+P313 - If eye irritation persists: Get medical advice/attention P391 - Collect spillage P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container according to local regulation
--------------------------------	---

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	g/L	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Chlorothalonil (ISO); tetrachloroisophthalonitrile	(CAS No) 1897-45-6 (EC no) 217-588-1 (EC index no) 608-014-00-4	720	Acute Tox. 2 (Inhalation:dust,mist), H330 Carc. 2, H351 STOT SE 3, H335 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a doctor.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after eye contact	: Eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# GLIDER® 72 SC

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Hand protection : Protective gloves

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

Environmental exposure controls : Avoid release to the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Off-white to white

Colour : No data available

Odour : No data available

Odour threshold : No data available

pH : 6.57

Relative evaporation rate (butylacetate=1) : No data available

Melting point : Not applicable

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

# GLIDER® 72 SC

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.343
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage, and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Inhalation:dust,mist: Toxic if inhaled.

GLIDER® 72 SC	
LD50 oral rat	> 5000 mg/kg (TECAM)
LD50 dermal rat	> 5000 mg/kg (TECAM)
LC50 inhalation rat (mg/l)	0.712 mg/l/4h (TECAM)
ATE CLP (vapours)	0.712 mg/l/4h
ATE CLP (dust,mist)	0.712 mg/l/4h

Chlorothalonil (ISO); tetrachloroisophthalonitrile (1897-45-6)	
LC50 inhalation rat (mg/l)	0.1

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

# GLIDER® 72 SC

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

GLIDER® 72 SC	
LC50 fish 1	(96h) 0.06 mg/l (Brachydanio rerio,TECAM)
EC50 Daphnia 1	(48h) 0.12 mg/l (Daphnia similis,TECAM)
ErC50 (algae)	(72h) 0.09 mg/l (Pseudokirchneriella subcapitata, TECAM)
Chlorothalonil (ISO); tetrachloroisophthalonitrile (1897-45-6)	
LC50 fish 1	0.0062
EC50 Daphnia 1	70 µg/l
ErC50 (algae)	0.0051 mg/l

### 12.2. Persistence and degradability

Chlorothalonil (ISO); tetrachloroisophthalonitrile (1897-45-6)	
Persistence and degradability	May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative potential

Chlorothalonil (ISO); tetrachloroisophthalonitrile (1897-45-6)	
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR)	: 2902
UN-No. (IMDG)	: 2902
UN-No. (IATA)	: 2902
UN-No. (ADN)	: 2902
UN-No. (RID)	: 2902

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: PESTICIDE, LIQUID, TOXIC, N.O.S.
Proper Shipping Name (IMDG)	: PESTICIDE, LIQUID, TOXIC, N.O.S.
Proper Shipping Name (IATA)	: Pesticide, liquid, toxic, n.o.s.
Proper Shipping Name (ADN)	: PESTICIDE, LIQUID, TOXIC, N.O.S.
Proper Shipping Name (RID)	: PESTICIDE, LIQUID, TOXIC, N.O.S.

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 6.1
Danger labels (ADR)	: 6.1



#### IMDG

Transport hazard class(es) (IMDG)	: 6.1
Danger labels (IMDG)	: 6.1

# GLIDER® 72 SC

## Safety Data Sheet

according to Regulation (EC) No. 453/2010



### IATA

Transport hazard class(es) (IATA) : 6.1

Hazard labels (IATA) : 6.1



### ADN

Transport hazard class(es) (ADN) : 6.1

Danger labels (ADN) : 6.1



### RID

Transport hazard class(es) (RID) : 6.1

Danger labels (RID) : 6.1



#### 14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

#### 14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant :



Yes

Other information : No supplementary information available

#### 14.6. Special precautions for user

##### - Overland transport

Classification code (ADR) : T6

Special provisions (ADR) : 61, 274, 648

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

# GLIDER® 72 SC

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Portable tank and bulk container special provisions (ADR)	: TP2, TP28
Tank code (ADR)	: L4BH
Tank special provisions (ADR)	: TU15, TE19
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13, CV28
Special provisions for carriage - Operation (ADR)	: S9
Hazard identification number (Kemler No.)	: 60
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2X
APP code	: B

### - Transport by sea

Special provisions (IMDG)	: 61, 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-A
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2

### - Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y642
PCA limited quantity max net quantity (IATA)	: 2L
PCA packing instructions (IATA)	: 655
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 663
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3, A4
ERG code (IATA)	: 6L

### - Inland waterway transport

Classification code (ADN)	: T6
Special provisions (ADN)	: 61, 274, 648, 802
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EP, TOX, A
Ventilation (ADN)	: VE02
Number of blue cones/lights (ADN)	: 0

### - Rail transport

Classification code (RID)	: T6
Special provisions (RID)	: 61, 274, 648
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19

# GLIDER® 72 SC

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP2, TP28
Tank codes for RID tanks (RID)	: L4BH
Special provisions for RID tanks (RID)	: TU15
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28, CW31
Colis express (express parcels) (RID)	: CE8, CE12
Hazard identification number (RID)	: 60

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

##### Germany

VwVwS Annex reference	: Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed

##### Denmark

Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal
-----------------------------------	--

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H319	Causes serious eye irritation
H330	Fatal if inhaled
H331	Toxic if inhaled
H335	May cause respiratory irritation



# GLIDER® 72 SC

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*