FUNGICIDE **IPRODONE** 2F SELECT[™] PROFESSIONAL, NON-RESIDENTIAL TURF FUNGICIDE.

Iprodione 2F Select[™] is a foliar-applied fungicide that may be deployed for the control of labeled diseases on non-residential turf including golf courses, sod farms, and institutional areas. **Iprodione 2F Select** is compatible, and may be applied, with most commonly used registered fungicides, including **TM 4.5F Select**[™] to control a broad spectrum of diseases and aid in resistance management.

PRODUCT FEATURES

- Up to 28 days residual control.
- Effective for all seasons.
- Non-residential use only.
- Preventive and curative effects.
- Labeled for turf and ornamental applications.

LABELED USES

- Golf Courses
- Non-residential ornamentals
- Non-residential turf
- Sod farms

ACTIVE INGREDIENT

23.0% iprodione

FRAC GROUP

2

FORMULATION

Flowable

CHEMICAL FAMILY Dicarboximide

COMPARE TO Chipco[®] 26019 Flo

MODE OF ACTION Signal transduction

RESTRICTED USE

No

SIGNAL WORD

PACKAGING

EPA REG NUMBER 89442-28



1525 NE 36th Street | Ankeny, Iowa 50021 | albaughspecialty.com

See label for complete application guidelines and restrictions.

IPRODIONE 2F SELECT

PROFESSIONAL, NON-RESIDENTIAL TURF FUNGICIDE.

APPLICATION INFORMATION

Applied according to good turf management practices, **Iprodione 2F Select™** is an effective tool in controlling spring, summer, fall, and certain winter diseases.

Summer stress complex/Summer decline

Tank-mix applications of 4 to 8 fl. oz. per 1,000 sq. ft. of Fosal Select[™] fungicide with 3 to 4 fl. oz. per 1,000 sq. ft. Iprodione 2F Select[™] to help manage these diseases.

Gray snow mold (Typhula spp.)

To use **Iprodione 2F Select** as a tank-mix in sites where continuous snow cover occurs, use 4 to 8 fl. oz. per 1,000 sq. ft. with one of the following registered products: chlorothalonil, such as **Chlorothalonil 720 Select**[™] or pentachloronitrobenzene (PCNB) fungicides.

Use the rates according to the directions on the labels of the registered tank mix partner products. For optimum control, application must be made in autumn, prior to snow cover. Ensure thorough coverage is attained by dilution in sufficient water (1 to 5 gallons of spray solution per 1,000 sq. ft.). If the turf has been frozen prior to application, use the higher rate of **Iprodione 2F Select**, and make a repeat application only if a thaw occurs and all snow cover has melted.

Restrictions

• DO NOT apply to turf cut higher than 1" on golf holes where water bodies are present.

• Except for use on golf courses, if applying this product adjacent to a water body such as a lake, reservoir, river, permanent stream, marsh or natural pond, estuary, or commercial fish pond, there must be at least a 25-foot vegetative buffer strip between the water body and the point of application.

- DO NOT mow or irrigate treated areas until the grass is completely dry, which typically takes 24 hours post-treatment.
- DO NOT mix with any sticker, extender, or wetting agents.
- DO NOT apply more than 35 fl. oz. product/1,000 sq. ft. per year.
- DO NOT apply more than 6 applications per year.
- DO NOT allow animals to graze on treated turf and do not feed clippings from treated turf to livestock or poultry.

LABELED TURF DISEASES

LABELED ORNAMENTAL DISEASES

Anthracnose	Fusarium patch	Aerial web blight	Cylindrocladium blight	Ink spot
Brown patch	Gray snow mold	Alternaria leaf blight	and wilt	Ray blight
Corticium red thread	Large patch	Alternaria leaf spot	Daffodil leaf scorch	Rhizoctonia stem
Curvularia	Leaf spot	Blossom blight	Fusarium corm rot	and root rot
Dollar spot	Necrotic ring spot	Botrytis blight	Fusarium leaf spot	Tulip fire
Fusarium blight	Pink snow mold	Botrytis storage rot	Helminthosporium Leaf spo	t



See label for complete application guidelines and restrictions.

©2023 Albaugh, LLC. Albaugh and the A logo are registered trademarks and Chlorothalonil 720 Select, Iprodione 2F Select, and TM 4.5F Select are trademarks of Albaugh, LLC. Chipco is a registered trademark of Bayer. Always read and follow label restrictions, precautions, and directions for use. This product may not be registered for sale or use in all states or counties. Please check with your state agency responsible for pesticide registration to ensure registration status.

