FUNGICIDE

TEBUCONAZOLE 3.6F SFI FCT

SYSTEMIC FUNGICIDE FOR THE PREVENTION AND **CONTROL OF TURF AND ORNAMENTAL DISEASES.**



Tebuconazole 3.6F Select™ provides long-lasting systemic, preventive, and curative disease control to protect your ornamentals and golf course turf. Effective against anthracnose, dollar spot, brown patch and other patch diseases, fairy ring, gray leaf spot, snow molds, and many more difficult-to-control diseases.

PRODUCT FEATURES

- Preventive and curative properties.
- Provides control up to 21 days.
- Acropetal (upward) movement.
- Rapid uptake (4 hours).
- Highly compatible tank-mix partner.
- Low use rates.

LABELED USES

- Golf course turf only
- Nursery ornamentals

- Commercial landscape ornamentals
- Residential landscape ornamentals

LABELED TURF DISEASES

Anthracnose

Bermuda grass decline

Brown patch

Copper spot

Brown ring patch

Corticium red thread

Dollar spot

Fusarium patch

Gray leaf spot

Gray snow mold

Large patch

Microdochium patch

Necrotic ring spot

Pink patch

Pink snow mold

Powdery mildew

Red thread

Rhizoctonia blight

Rusts

Spring dead spot

Stripe smut

Summer patch

Take-all patch

Typhula blight

Zoysia patch

LABELED ORNAMENTAL DISEASES

Anthracnose

Leaf spot

Powdery mildew

Rusts

Black spot Petal blight Southern blight

See label for complete application guidelines and restrictions.

ACTIVE INGREDIENT

38.7% tebuconazole

FRAC GROUP

FORMULATION

Suspension concentrate

CHEMICAL FAMILY

Triazole

COMPARE TO

Torque™

MODE OF ACTION

Demethylation inhibitor

RESTRICTED USE

No

SIGNAL WORD

Caution

PACKAGING

4 x 1 gal

EPA REG NUMBER

42750-99-89442



TEBUCONAZOLE 3.6F SELECT

SYSTEMIC FUNGICIDE FOR THE PREVENTION AND CONTROL OF TURF AND ORNAMENTAL DISEASES.

APPLICATION INFORMATION

Turf

For use on all golf turf applications of cool-season and warm-season grasses (such as bentgrasses, bluegrasses, fescues, ryegrasses, St. Augustine grasses, and Zoysia) or their mixtures. **Tebuconazole 3.6F Select™** is not phytotoxic to any of the above mentioned grasses when used in accordance with the label.

Note: Bermudagrass can be sensitive to Tebuconazole 3.6F Select under certain conditions. DO NOT apply consecutive applications during or just after dormancy break. Avoid applications when temperatures are expected to exceed 85°F.

Restrictions

- For use on golf course turf only.
- **DO NOT** use on residential lawns and turf sites associated with apartment buildings, daycare centers, playgrounds, playfields, recreational park athletic fields, athletic fields located on or next to schools (i.e., elementary, middle and high school), campgrounds, churches, and theme parks.
- Not for use on turf being grown for sale or commercial use as sod.
- DO NOT use clippings for animal feed.
- **DO NOT** exceed 3.6 fl. oz. of Tebuconazole 3.6F Select per 1,000 sq. ft. per year.
- **DO NOT** apply more than 6 applications/year except in New York. In New York State, do not apply more than 3 applications/year.

Field, nursery and container ornamentals and commercial and residential landscape applications:

Tebuconazole 3.6F Select can be used in a preventive and curative disease control program for the plant types and disease s listed in this bulletin. Optimum disease management is obtained when **Tebuconazole 3.6F Select** is used in conjunction with sound disease-management practices. Apply material with properly calibrated hand held, mechanical or motorized spray equipment. Begin applications when disease first appears and repeat at 14-21 day intervals during the growing season. Use the shortest interval when conditions are unusually favorable for the development of disease.

Restrictions

- For use on ornamental plants only; not for use on woodlands or forest management.
- Intended for use only by professional applicators.
- DO NOT apply more than 10 fl. oz. per acre in a single application.
- **DO NOT** apply more than 0.31 gallons (40 fl. oz.) of Tebuconazole 3.6F Select (equal to 1.13 lbs. of tebuconazole) per acre per year.
- DO NOT make more than 4 applications per year at highest rate.
- DO NOT apply to bearing fruit trees or vegetables.



■ See label for complete application guidelines and restrictions.

©2023 Albaugh, LLC. Albaugh and the A logo are registered trademarks and Tebuconazole 3.6F Select is a trademark of Albaugh, LLC. Torque is a trademark of Cleary Chemical. Always read and follow label restrictions, precautions, and directions for use. This product may not be registered for sale or use in all states or counties. Please check with your state agency responsible for pesticide registration to ensure registration status.

