

# Anchor 3LST™

## TREATED SEED

*This seed has been treated with mefenoxam fungicide (ANCHOR 3ST, EPA Reg. 42750-390) at the rate of \_\_\_\_\_ lbs of mefenoxam per \_\_\_\_\_ lb of seed.*

## CAUTION

**DO NOT USE TREATED SEED FOR FEED, FOOD OR OIL PURPOSES.**

**STORE AWAY FROM FEEDS AND FOODSTUFFS.**

**DO NOT ALLOW CHILDREN, PETS OR LIVESTOCK TO HAVE ACCESS TO TREATED SEEDS.**

### PRECAUTIONARY STATEMENTS

**CAUTION.** Exposure to treated seed and contact with eyes may cause moderate irritation. May be harmful if swallowed. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Wear long pants, long-sleeved shirt and chemical resistant gloves when handling treated seed. Do not enter or allow worker entry into areas planted with treated seed during the **restricted entry interval (REI) of 48 hours.**

**Exception:** if the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, socks and chemical resistant footwear, chemical resistant gloves, made of barrier laminate, butyl rubber ≥14 mils, nitrile rubber ≥14 mils, neoprene rubber ≥14 mils, polyvinyl chloride (PVC) ≥14 mils, or Viton ≥14 mils, and protective eyewear.

### ENVIRONMENTAL HAZARDS

Treated seed exposed on soil surface may be hazardous to wildlife.

Cover or collect treated seeds spilled during loading and planting such as in row ends.

**Groundwater Advisory:** Mefenoxam is known to leach through soil into groundwater under certain conditions as a result of label use. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

**Surface Water Advisory:** This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow groundwater. This product is classified as having high potential for reaching surface water via runoff for several months or more after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of mefenoxam from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall or irrigation is expected to occur within 48 hours.

Do not contaminate bodies of water when disposing of planting equipment wash water.

### USE RESTRICTIONS

The maximum application rate for mefenoxam- and metalaxyl-containing products (including seed treatments, foliar applications, soil application) is 12.3 lb per acre per calendar year. **DO NOT** apply more than 12.3 lb of active ingredients, mefenoxam and metalaxyl, per acre per calendar year.

Treated seed must be incorporated into the soil at the recommended depth.

### STORAGE & DISPOSAL

Dispose of excess treated seed by burying seed away from bodies of water. Dispose of seed packaging or containers in accordance with local requirements. Excess treated seed may be used for ethanol production if (1) by-products are not used for livestock feed and (2) no measurable residue of pesticide remain in ethanol by-products that are used in agronomic practice.

AD101321

ALBAUGH, LLC  
1535 NE 36<sup>th</sup> Street  
Ankeny, IA 50021