

# CRUSADER<sup>®</sup> 2ME

FAST-ACTING PYRETHROID INSECTICIDE, EFFECTIVE AGAINST A WIDE RANGE OF FOLIAR PESTS IN CROP AND NON-CROP APPLICATIONS.



Crusader® 2ME is a non-systemic pyrethroid insecticide in a microencapsulated formulation that provides rapid knockdown with residual activity. Initial and residual control are contingent upon thorough crop coverage. Apply with ground or aerial equipment using sufficient water to obtain full coverage of foliage. Apply in a minimum of 2 gallons per acre by air or 10 gallons per acre by ground unless otherwise specified in this label. When foliage is dense or pest pressure is high (heavier insect or egg pressure, larger larval stages), use of higher listed application volumes and/or higher listed use rates may improve initial and residual control. For cutworm control, this product may be applied before, during, or after planting. For soil-incorporated applications, use higher listed rates for improved control.

# **PRODUCT FEATURES**

- Fast-acting, broad-spectrum pyrethroid insecticide that will control pests with a single application.
- Labeled for use on a wide range of crops.
- Works by contact and ingestion; residual solution for growers to control insects, whether or not the pest is directly sprayed.
- May be applied by ground, aerial or chemigation application systems.

#### **ACTIVE INGREDIENT**

2.08 lbs/gal lambda-cyhalothrin

#### **IRAC GROUP**

3

#### **FORMULATION**

Microencapsulated liquid

#### REI

24 hrs

## **COMPARE TO**

Warrior® II

#### **MODE OF ACTION**

Sodium channel modulator

#### **SIGNAL WORD**

Caution

## **RESTRICTED USE**

Yes

## **PACKAGING**

4 x 1 gal, NR 265

#### **EPA REG NUMBER**

42750-385 | AD032221

See label for complete application guidelines and restrictions.





# FREQUENTLY ASKED QUESTIONS

## How should I use Crusader 2ME on cotton for best results?

- Apply at 0.92-1.23 fl oz/A for control of cutworm species, soybean thrips and tobacco thrips.
- Apply at 1.23-1.84 fl oz/A for control of cabbage looper, cotton fleahopper, cotton leafperforator, cotton leafworm and lygus bug species.
- Apply 1.54-2.46 fl oz/A for control of bandedwing whitefly (suppression only), beet armyworm (first and second instars only), boll weevil, brown stink bug, cotton aphid (suppression only), cotton bollworm, European corn borer, fall armyworm, green stink bug, Southern green stink bug, sweet potato whitefly (suppression only), tobacco budworm and twospotted spider mite.
- Do not apply within 21 days of harvest.
- Refer to label for specific use instructions by insect type.
- Refer to resistance information on label under Product Information.

# How should I apply Crusader 2ME in foliar corn applications for best results?

- Apply at 0.92-1.54 fl oz/A for control of corn earworm, cutworm species, green cloverworm, meadow spittlebug and Western bean cutworm.
- Apply at 1.23-1.84 fl oz/A for control of labeled armyworm, bean leaf beetle, bird cherry-oat aphid (suppression), cereal leaf beetle, corn leaf aphid (suppression), corn rootworm beetle, English grain aphid (suppression), European corn borer, fall armyworm, flea beetle species, grasshopper species, hop vine borer, Japanese beetle adult, lesser cornstalk borer, sap beetle adult, seedcorn beetle adult, Southwestern corn borer, stalk borer, stink bug species, tobacco budworm, webworm species, yellow-striped armyworm.
- Apply at 1.84 fl oz/A for control of beet armyworm, chinch bug, green bug, Mexican rice borer, rice stalk borer, Southern corn leaf beetle, sugarcane borer.
- Do not apply within 21 days of harvest.
- Refer to label for specific use instructions by insect type.
- Refer to resistance statement under Product Information on the product label.



See label for complete application guidelines and restrictions.

©2023 Albaugh, LLC. All rights reserved. Albaugh, the Albaugh logo, and Crusader are registered trademarks of Albaugh, LLC. Warrior is a registered trademark of a Syngenta Group Company. Crusader 2ME and Warrior II are restricted use pesticides. Always read and follow label restrictions, precautions and directions for use. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status.

