

 **SELECTIVE HERBICIDE**

# OZONE<sup>®</sup> 3.0

**FOR CONTROL OF WILD OAT, FOXTAIL AND  
NUMEROUS OTHER BROADLEAF AND GRASS  
WEED SPECIES IN WHEAT.**



Ozone<sup>®</sup> 3.0 is for use in spring, durum and winter wheat. The product controls wild oat, green foxtail, yellow foxtail, Italian ryegrass, windgrass, barnyardgrass, brome species and numerous broadleaf weeds, including redroot pigweed, wild mustard and shepherd's purse. It also suppresses additional grass and broadleaf weeds, including downy brome and wild buckwheat.

Ozone 3.0 is absorbed by foliage and roots of susceptible weeds, which cease growth soon after application. Maximum weed control is achieved one to two weeks after application, though susceptible weeds will stop growing and will no longer be competitive soon after application. For broader spectrum activity, Ozone 3.0 may be tank-mixed with a broadleaf herbicide listed on this label. *Refer to TANK MIXES on pages 9-10 for specific tank-mix partners and mixing instructions.*

## PRODUCT FEATURES

- Contains a widely recognized safener technology for improved crop safety.
- Highly concentrated formulation that increases handling and warehousing efficiencies.
- May be tank mixed with a variety of EPA registered herbicides to increase weed control in spring, durum and winter wheat crops.
- May be applied by ground or aerial application equipment.

See label for complete application guidelines and restrictions.

### ACTIVE INGREDIENT

1.75 lbs/gal flucarbazone

### HRAC GROUP

2

### FORMULATION

Liquid

### REI

48 hours

### COMPARE TO

Everest<sup>®</sup>

### MODE OF ACTION

ALS inhibitor

### SIGNAL WORD

Caution

### RESTRICTED USE

No

### PACKAGING

4 x 160 oz

### EPA REG NUMBER

42750-358 | AD050120

# OZONE<sup>®</sup> 3.0

## FREQUENTLY ASKED QUESTIONS

### How should I apply Ozone 3.0 for best results?

- Best weed control is observed when environmental conditions support vigorous growth of crop and weeds. Research has demonstrated that optimum wheat yield is obtained by early removal of grassy weeds.
- Apply to spring, durum and winter wheat from one leaf up to 60 days prior to harvest. Winter wheat applications can be made in the fall or spring.
- DO NOT apply more than 2 fl oz/A of Ozone 3.0 per year.
- DO NOT apply less than 1 fl oz/A of Ozone 3.0 or more than 2 fl oz/A in a single application.
- DO NOT make more than 2 applications per year (2 preemergence or 1 preemergence + 1 postemergence). DO NOT make more than one postemergence application of OZONE 3.0 per year.
- The minimum retreatment interval is 14 days.
- Refer to label pages 8-9 for rates of Ozone 3.0 following a flucarbazone-sodium application and rates of application for grass and broadleaf control or suppression.

### Do I need to use an adjuvant with Ozone 3.0?

- Yes. Ozone 3.0 applied alone requires the use of an adjuvant according to the following directions. When Ozone 3.0 is applied in tank-mixture with EC products at a rate of 8 fl oz/A or greater, only a nitrogen source adjuvant is required. When an adjuvant is to be used with this product, Albaugh, LLC directs the use of a Chemical Producers and Distributors Association (CPDA) certified adjuvant.
- Refer to label page 9 for specified adjuvant rates for durum, spring and winter wheat.

### Can I tank mix other products with Ozone 3.0?

- Yes. For disease control or suppression, fungicides can be tank-mixed with Ozone 3.0. For insect control, only pyrethroid-based insecticides may be used in mixture with Ozone 3.0. For broader spectrum control of broadleaf weeds, Ozone 3.0 may be mixed with the broadleaf herbicides listed in the tank-mix partner table on page 10 of the product label.
- Depending on the tank-mix partner, an adjuvant may be included in the spray solution. See *ADJUVANT USE RATES* section (label page 9). With all tank-mix partners, read and follow the use directions, rates, precautions, timing, recropping restrictions, restrictions, grazing interval restrictions and directions on broadleaf herbicide and surfactant labels.
- 30-day grazing interval restriction.
- Refer to labels for directions on broadleaf herbicide and surfactants.



◀ See label for complete application guidelines and restrictions.

©2023 Albaugh, LLC. All rights reserved. Albaugh, the Albaugh logo and Ozone are registered trademarks of Albaugh, LLC. Everest is a registered trademark of Arysta LifeScience. Always read and follow label restrictions, precautions and directions for use. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status.